


*Severe and Mild Depression*

# PSYCHODYNAMICS OF MILD DEPRESSION



**JULES BEMPORAD, M.D.**



# **PSYCHODYNAMICS OF MILD DEPRESSION**

**JULES BEMPORAD, M.D.**

e-Book 2015 International Psychotherapy Institute

From *Severe and Mild Depression* by Silvano Arieti & Jules Bemporad

Copyright © 1978 Silvano Arieti & Jules Bemporad

All Rights Reserved

Created in the United States of America

[www.freepsychotherapybooks.org](http://www.freepsychotherapybooks.org)  
[ebooks@theipi.org](mailto:ebooks@theipi.org)

































do try to fight off the affect of depression and do not realign their cognitions so that the depression is seen as justified. They pay a great price for this defensive warding off of depression but the toll becomes understandable when they reveal the depth of their despair in the safety of the therapeutic situation. I have treated one such patient over a period of about five years. She initially had episodes of feeling empty, during which her body did not seem normal and she sensed herself as apart from the rest of the world. This woman had recurrent dreams of a terribly misshapen child whom no one could ever help. The affect in these dreams was extreme despair. In addition, she gave a history that was typical of depressed patients. As she became stronger in therapy, she was able to see the dream image as a distorted childhood estimation of herself and to confront the depressive affect related to this cognitive construct.

The status of masked depression is still unsettled since clear-cut diagnostic criteria have not been delineated and different authors may use this diagnosis liberally or very conservatively. While I lean toward the latter direction, such individuals do exist and successful treatment depends on recognizing the depressive core of their illness.

All types of mild depression share certain psychodynamic and cognitive features beyond the manifest experience of a dysphoric affect which links them together as variations of a basic disorder. These underlying

characteristics will be elaborated in the following sections in order to define the basis for the spectrum of clinical phenotypes of depression. Each factor may be relatively more or less prominent in different individuals, but the totality of these characteristics form a multifactorial network of beliefs and attitudes that predispose an individual to depressive episodes.

### **Restriction Of Sources Of Self-Esteem**

Pathologic dependency is perhaps the one characteristic of the depressive that has been unanimously emphasized in the psychiatric literature. It was most probably this tenacious, demanding quality of melancholics that suggested to Abraham, in his pioneering work on depression, the existence of a libidinal regression to the oral stage. Although many authors have subsequently disregarded Abraham's formulations of unconscious dynamics, there has been a uniform acceptance of his excellent descriptions of the depressive's mode of object relations and character structure. Later authors have echoed the theme of dependency as central in depression, although they consider this characteristic from vastly different theoretical positions. Arieti (1962) has especially stressed the role of dependency in the etiology of depression. He noted that in his experience, decompensation of the depressive often occurs following the failure to maintain an ongoing relationship with a significant environmental figure. In contrast to the schizophrenic, in whom the psychotic transformation is in

reaction to a failure of “cosmic magnitude involving the relation with the whole interpersonal world” (p. 401), depression seems to result from the loss of a relationship with one highly esteemed person in the immediate environment. Arieti calls this idealized figure the “dominant other.” who regardless of substitution in adult life is symbolic of the depriving mother.

Jacobson (1971) described a similar interpersonal situation, although she utilized a different terminology in recounting her treatment of a young woman who had been subject to recurrent depressions. In formulating the dynamics of this case, Jacobson observed:

Hence her love objects represented glorified parental images with which she identified through participation in their superiority. To be loved and to find recognition by them served the purpose of supporting her self-esteem, which was forever threatened by the overstrictness of her standards and the intensity of her ambitions. It is significant that Peggy (i.e. the patient) did not “borrow” the ego or superego of her love objects, as certain schizophrenics will do. What she needed was respect for them, and love, praise, and emotional support from them (1971, p. 224).

This last point is extremely important in that the depressive does not “merge” with the dominant other; he retains his own identity. However, the depressive will misuse the dominant other in order to maintain self-esteem. The dominant other structures the life of the depressive in the areas of gratification and self-worth but not so globally as in the symbiosis seen in schizophrenia.

Becker (1964) called attention to limited areas of esteem as being a significant determinant of depression. In comparing depression with schizophrenia, Becker wrote, "The depressed person, on the other hand, suffers instead from a too uncritical participation in a limited range of monopolizing interpersonal experiences" (1964, p. 131).

Becker cited Volkart's (1957) study of bereavement which showed that pathological mourning seems to occur when the bereft has limited his sources of gratification to too few objects:

Any culture which, in the name of mental health, encourages extreme and exclusive emotional investments by one person in a selected few others, but does not provide suitable outlets and alternatives for the inevitable bereavement, is simply altering the conditions of, and perhaps postponing, severe mental illness. It may, in the vernacular, be building persons up for a big letdown by exacerbating vulnerability (Volkart, 1957, p. 304).

Certain individuals by virtue of their upbringing appear to develop too narrow a range of activities that can supply self-esteem and thus they are vulnerable to depression if their limited number of objectives are not realized. As mentioned in chapter 6, for some the objective is the achievement of a dominant goal; for others the objective is to receive love and praise from a dominant other.

It may be noted that, contrary to the early classical formulation of depression, the predisposed individual does not create an ego introject of the

mother following a loss in infancy. The internalization of parental values does not mean the incorporation of a lost love object as initially intended by Freud. Certainly all children adopt certain values and attitudes of their parents in the course of normal development without becoming depressives in adult life. The difficulty with the different meanings of internalization may be the result of a lack of reconciliation between the Freudian theory of depression and the later conceptualization of the superego. In the former, the infant incorporates the parent; in the latter, the child identifies with the parent as a solution to the Oedipal conflict. However, it is possible that internalization of parental values occurs as a gradual process throughout childhood and the concept of an introject is an unnecessary reification. More recent psychoanalytic contributions that stress infantile superego precursors seem to postulate just this preoedipal acceptance of parental attitudes without having to hypothesize the formation of a pathological introject.

Further clarification of the process of internalization also may be needed. The difference between imitative learning, whereby the child models himself after the parent, and reactive learning, whereby the child is coerced to become an idealized model desired by the parent, should be specified in reference to such terms as self-image and superego. In the case of imitative learning, the self is automatically modeled after an esteemed environmental figure, often without any underlying conflict. Reactive learning as intended here is the process whereby the child is made to become a desired ideal

which does not necessarily resemble the parent, in order to win love or escape punishment. The attainment of this parental ideal leads to a sense of satisfaction not because of any inherent gratifying quality, but because it ensures parental favor.

The depressive appears to be the product of excessive reactive learning and to have developed a reactive identity; that is, he functions best in a role that reflects the dictates of dominant other rather than any independent standards. These individuals require the presence of an external agency in order to derive satisfaction, and they are unable to gain pleasure from independent achievement.

### **Fear Of Autonomous Gratification**

Patients often exhibit a marked inability and even dread of obtaining self-esteem or pleasure through their own efforts rather than by means of a dominant other. I have found this type of pathological functioning, which may be called the fear of autonomous gratification, to be a consistent feature of depressives. This characteristic may not always be immediately apparent, especially in view of the impressive achievements of some depressives. However, on further investigation it is found that social or professional accomplishment bring the depressive little pleasure in themselves: they are sought in an attempt to win love and acceptance from an external agency or



to affirm an irrational sense of self that still follows parental dictates.

Nancy, a highly successful executive who began psychotherapy after years of visiting internists with vague pains and insomnia, exemplified this fear of autonomous gratification. Although she held a position of considerable importance and made an attractive salary, she could not bring herself to furnish her apartment comfortably or live in a manner commensurate with her income. She considered anything spent on herself to be a shameful extravagance, but would buy inordinately expensive gifts for her parents. Nancy was equally self-sacrificing with her free time and canceled social engagements if her boss asked her to work late or if her father asked to see her. In actuality Nancy was unable to enjoy a social evening unless she could somehow relate it to her work, just as she had to justify buying clothes by saying that she had to dress well for work. She found it difficult to date and dreaded sexual confrontation. When she did go out, she tried to structure the evening so that she would be part of a group and thus escape being alone with a man. Even then she had to drink a good deal in order to fight feelings of guilt and degradation. Eventually Nancy confessed that even her work, which seemed to be her major concern in life, brought her no pleasure in itself but only served as a means of pleasing her boss. Whenever she gained recognition from him or when she was praised by her father, Nancy became ecstatic with a great sense of well-being and felt vibrant and alive.

Although she had been subject to mild depressive episodes for most of her life, Nancy became clinically depressed when her boss decided to retire. She felt betrayed by his leaving after her many years of self-sacrifice. This sense of desertion was intensified by her parents' coincidental plan to take an extended vacation overseas. Nancy felt that her only means of gratification and meaning were abandoning her, and the prospect of life without them was unbearable. Never having been able to gain a sense of self-esteem from her own efforts, but only through the presence of a dominant other, her life now seemed empty and pointless.

Nancy's early history can be briefly outlined. Her mother was described as a shy, helpless woman living in fear of her husband, who tyrannically ruled the household. Nancy was not allowed to form extrafamilial attachments, but was coerced to work hard and study arduously in order to bring honor to the family. She was sent to strict parochial schools and her work was closely supervised by her father, who made her feel guilty and ashamed if she did not perform according to his aspirations. She was repeatedly told how her parents were sacrificing themselves for her and how she frivolously squandered their hard-earned savings by not studying enough or by wanting to enjoy herself with school friends. Nancy grew up determined to win her father's admiration and to redeem herself against his accusations. She reacted to any activities that were not directed toward this goal with apprehension and anxiety, although she superficially disparaged them as childish and

immoral. In keeping with this “pleasure anxiety,” Spiegel (1959) commented that the depressive fears the experience of happiness and pleasure as much as the experience of anger. The only thing that matters is to be passively gratified by the dominant other, to be reassured of one’s own worth, and to be freed of the burden of guilt. Even patients who strive toward a dominant goal will shun any activity that does not eventually lead toward their overriding objective. Any involvement that is simply fun is carefully avoided because it induces guilt or shame.

A general characteristic of all types of depression-prone individuals which is apparent throughout their lives and not only during clinical episodes is an almost paranoid feeling that others are overly conscious of their behavior. They uniformly see themselves as the center of other people’s attention and thus pursue what they believe is model behavior. This characteristic is closely linked with the fear of autonomous gratification in that such individuals can never actively have fun because they are sure that others will deem them foolish or wasteful. Such individuals live highly restricted and hypermoral lives, not from any superior inner ethical code, but because they feel themselves to be constantly observed by others. These individuals also tend to be obsessive and to find safety in conformity and rituals. They constantly speak about one’s duty and obligations and are quick to point out the trivial failings of others in a superior, haughty manner. In actuality, these individuals who go by the book often make life miserable for

those around them, reproaching them for not living up to some imagined set of standards and constantly accusing those close to them of having humiliated them in public.

In therapy such individuals reveal that as children they were constantly observed by overly critical parents who expected model behavior from them in order to bring honor or acceptance to the family. As described by Cohen et al. (1954), the childhood behavior of some future depressives was exploited by the parents in the search for upward social mobility. Such individuals soon learn to see their behavior as the constant object of public and parental attention. They also do to their children what had been done to them. As therapy progresses, they often reveal a secret desire to be just the opposite of what they pretend to be. All sorts of sexual, antisocial, and romantic desires emerge which had been strongly suppressed for fear of criticism from parents and later from society at large.

This fear of autonomous gratification appears to play a very significant role in depression and may be primarily responsible for the eventual precipitation of a clinical depressive episode that does not involve an environmental loss. Some depressives decompensate when they realize after years of self-deprivation that they will not receive some special reward which they believed would be granted to them. Others become depressed as a result of the joyless life that they have imposed on themselves; they gain no

pleasure from life and yet feel unable to alter their way of living. One woman who presented a variety of psychosomatic complaints gradually became depressed when she saw herself trapped in an ungratifying mode of existence. She described her life as going through the motions of the role of an upper-class suburban wife and mother. She admitted that she detested her fund-raising activities, her husband's business associates, her clubs, and the usual daily routine to which she nevertheless strictly adhered. Her feeling of being trapped in an apparently successful and enviable life had been the prevalent mode of seeing herself for many years. She had grown up in a wealthy mid-western suburb, but due to the Depression her family had lost most of their capital. However, they continued to live as if they were wealthy, though everyone knew they could not really afford their lifestyle. The parents insisted on carrying out this economic sham and were careful to instruct their children on proper behavior, pointing out to them that others would be observing them to see if their loss of wealth had affected their "breeding." Throughout her life this woman made choices that would ensure social approval at the expense of personal satisfaction. When she reached middle age, she began to realize that it was too late to do the things she had really wanted to do. She confessed that even if she had been younger she could not have allowed herself to go against a harsh code of conformity which she expected from herself, even though it brought her only misery. Her anger at having to live according to her self-imposed restrictions seemed to result in

violent headaches, and her fear that she might act out her secret desires accounted for other bodily symptoms. Her current life, dismal as it seemed to her, at least offered a structured and secure code of behavior. Without it she believed that she would feel not only sinful but alone, abandoned, and without a set course to follow.

Other patients could be presented who throughout their lives have always made the same, if ungratifying, choices. These choices appear to be predicated on the original dictates of the dominant parent and on the later transference of parental authority to current life relationships. Such individuals distort others to fill the role of the demanding, critical parent and then act according to these transferential distortions, culminating in an existence which does not allow pleasure and predisposes them to chronic depression with definite paranoid and obsessive features.

### **Bargain Relationship**

Implicit in the depressive's dependency and inhibition is what may be called the bargain relationship, which typifies some depressives' mode of interpersonal relations. The bargain is simply that the depressive will deny himself autonomous satisfaction in return for nurturance from the dominant other. This relationship is initiated by the parent, but the depressive reestablishes it on unwitting transference objects. This *quid pro quo*

relationship ensures that gratification and acceptance will be forthcoming if willingness for self-sacrifice is properly demonstrated.

This pathological mode of relating was hinted at by Cohen et al. in their study of manic-depressives (1954). They mentioned the patient's use of splitting a significant other into an all-good partial object and repressing the other's bad characteristics in order to idealize the important other. This other has to be inflated and seen as totally good so that the patient can then depend on and utilize the other for his own needs. Jacobson also implied a similar relationship, employing orthodox terminology: "The libidinal cathexis of their self-representations thus depends on the maintenance of a continuous libidinal hypercathexis of the love object, designed to prevent its aggressive devaluation in which their self is bound to participate" (1971, p. 259). Therefore, according to Jacobson the depressive must idealize the dominant other if he is to prevent a devaluation of the self which would precipitate a depressive episode. Actually, in some cases the other may be overvalued so that he can give structure to the depressive. In other cases the dominant other is utilized to absolve guilt, and in still other cases he is needed as a source of constant applause and selfless love.

An example of the first type of bargain relationship, in which structure is given by the significant other, is a brilliant graduate student who did extremely well under the tutelage of his professor. The student had a godlike

reverence for the senior man and would consult him about all of his life decisions. He felt himself to be safe and secure as long as the professor approved of his work, and he subtly used the older colleague to structure his day and to plan his lectures and research. While he was fawning in regard to the professor, this student was indifferent to his wife, competitive and suspicious with his fellow students, and generally terrified of life outside the university. However, he managed well until the time came to do his dissertation. His professor found the student a prestigious job in a physics think tank where he could support himself while doing his thesis. The young man took the job without questioning his elder's choice, though it entailed moving to a nearby suburb and essentially cutting himself off from all regular contact with the university.

In his new job the student felt immediately uncomfortable; there was no academic hierarchy, people did their own jobs without competing, and the atmosphere was loose and egalitarian. Worst of all, the director of the institute was a quiet and benevolent figure who did not interfere in the lives of his employees, all of whom were expected to be mature self-directed scientists. The student gradually became depressed in these new surroundings. He could not work unless he felt he was being observed and supervised by an esteemed superior, and the director simply refused to take on the role that the former professor had filled. Without the secure sense that a dominant other was watching and directing him, this promising scientist



lost all interest in physics. He began to bother his co-workers with elementary questions in order to gain attention and developed a great dislike for the director for not fulfilling his inappropriate needs. When he was deprived of the structure supplied by the dominant other, all activities became meaningless. The student gradually started staying in bed, complaining to his wife, and having difficulty sleeping. His dreams of being empty and lost reflected his waking psychological state.

In this case the positive or gratifying aspects of the bargain relationship are illustrated rather than the more painful type of bond in which coercion by guilt is prominent and usually results in a more severe form of depression. In the latter case, the dominant other is needed to reassure against feelings of inherent evil and badness. In addition to an air of helpless resignation and a sense of worthlessness, these patients believe themselves to be inordinately vile and malicious and they are convinced that only the dominant other can free them this self-image. One such patient who required brief hospitalization described herself in the most derogatory terms imaginable, whereas in reality she seemed to have led an exemplary life. Her mother was a selfish woman who resented any responsibility and detested the mothering role. When her husband left her, she blamed the patient and repeatedly told her that if she had never been born the father would have remained. The mother continued to blame her for her later misfortunes and in addition projected all sorts of sexual desires onto the patient, eventually making her believe that her

incestuous desires had driven her father from the house. This woman accepted the blame for her mother's unhappiness and dedicated her life to seeking forgiveness. She could not tolerate her mother's being cross or angry, and she did everything she could to soothe or please her. For more than twenty years this woman forced her husband and children to visit the mother weekly in another city where the patient would fuss over her and try to win her praise. The patient's mood for the following week depended on the success of these Sunday outings.

This woman became severely depressed when she developed intimate feelings for her employer. She could not tolerate her desires, which proved to her that her mother had been right in the estimation that she was wanton and base. All her previous efforts to redeem herself were now without meaning. She would never change; she had always been and always would be evil and worthless. She succumbed to the image of herself that she despised and which disgusted her.

A third example of the bargain relationship can be illustrated by a businessman who demanded to be adulated and nurtured by his wife. However, his needs appeared insatiable; he had to be told constantly that he was loved and that he was appreciated. If the wife dared to express interest in any topic that did not concern him, he would become hurt and begin to pout or to berate his wife for not realizing how hard he worked for her welfare. At

times he would threaten to leave her just so she could beg him to stay. On the rare occasions when his wife told him that she felt “sucked dry” by his demands, he punished her by crying and going through his speech of being unappreciated. The wife eventually unconsciously evolved her own defensive maneuvers by developing (and on occasion feigning) illness so that he could not ask her for nurturance.

This man feared that his wife would abandon him at any moment and his manipulations were pathological attempts to continue his needed relationship with her. At times he was also convinced that he was unlovable and so had to put his wife to the test to see if she really loved him, which meant he was worthy of love. While his behavior might appear controlling and even sadistic, as Rado (1928) described the depressive and his love object, this man truly believed that he was only trying to get the love he so desperately desired. His pathological needs blinded him to the destructive effect he had on his spouse. When she was sick and therefore not in danger of leaving him, he became solicitous and kind, only to revert again when she appeared healthy. This man had a long history of depressions following emotional abandonments throughout his life. He had married a submissive and frightened women in order to ensure that she would stay with him, and he continued to fight off his neurotic fear of abandonment by his machinations. It must be mentioned that her effect on him was totally out of proportion: if she smiled and told him she loved him at breakfast, he felt sure

of himself the entire day; if she were sleepy and quiet, he felt depressed and neglected.

This bargain relationship demonstrates the depressive's excessive reliance on a dominant other for maintenance of self-worth and a sense of meaning. It may take various forms, but basically it is a revival of a real or fantasied childhood relationship in which the parent was able to grant the child a needed state of self in return for appropriate behavior.

Finally it should be stressed that what predisposes one to depression in the bargain relationship is not only the exclusivity but also the quality of the relationship. For example, Lewinsohn (1969) suggested that depressives tend to limit their range of personal interactions. This conclusion seems valid but incomplete. An individual may lead a happy, productive life with only a few mutual, sharing relationships and not become depressed upon termination of these relationships. It is only when the relationship serves pathological needs, prevents autonomous gratification, and enforces the inhibition of independent self-worth that a predisposition to depression exists.

### **Felt Helplessness To Alter The Environment**

As a result of this excessive reliance on external agents for gratification, and in certain cases for structure, the depressive displays a glaring lack of mastery over self-rewarding functions. Some are so constricted by strong

inhibitions that they simply cannot overcome the guilt and shame that accompanies simple enjoyment. Every act that might be perceived as pleasurable must be rationalized and disguised as leading to a productive or serious goal. These individuals experience intense anxiety at even the dim prospect of enjoyment, so that they strongly shun such activities. Therefore they complain that they are helpless to alter their depression and they feel overwhelmed and weak. Other depressed individuals who depended on a dominant other for gratification feel similarly hopeless and helpless if this other is lost. However, these individuals are not really helpless but they would rather be depressed than break the taboos that they impose on themselves. Obviously this is not true of all depressed states: some people face situations which they are indeed helpless to alter. However, these individuals usually do not totally collapse in their efforts; they may feel frustrated, cheated, and angry, but not uniformly depressed. In addition, nondepressives do not display the undue emphasis on moral issues which are so often seen in individuals with recurrent depressions who must see everything as someone's fault— usually their own. Healthier individuals also do not show the characteristic maneuvers of involving others to relieve their suffering through manipulation and guilt-inducing behavior that is seen in neurotic depression. To repeat what Sandler and Joffe (1965) elaborated in detail: we are all susceptible to the initial psychobiological response of depression which carries with it a transient sense of helplessness, but only

selected individuals will progress to a clinical episode of depression in which the sense of helplessness is magnified and utilized to control others to reinstate the lost sense of well-being.

Seligman (as mentioned in chapter 2) proposed a theory of learned helplessness to account for some forms of depression. Seligman essentially postulated that the depression-prone individual has learned that action does not result in reinforcement of needs, and so he gives up and gradually lapses into a state of depression. Actually, the depressive is far from helpless in that he is adept at manipulating others and also is capable of impressive accomplishments when required to gain love or approval. Rather, the depressive's apparent helplessness results from a disruption in his usual mode of behaving and gaining esteem through pathological means. The sense of helplessness is both an automatic and pathological attempt to induce others to supply the needed reassurance, and it is a result of training that one must act in reaction to others in order to win the desired acknowledgment. Therefore learned helplessness does account for some aspects of depression, but it is limited to the areas of assertion and pleasure without guilt or shame. It is understandable how the depressive might superficially appear to demonstrate that effort and reward are unrelated, yet on closer inspection it becomes evident that his efforts are just more surreptitious and devious in achieving their reinforcements.

Two depressed patients will be briefly described who had an overwhelming sense of helplessness. It is of interest that while both had histories of only mild depression, both had received electroconvulsive therapy (which effected only temporary relief). Their air of helplessness may have resulted in their being given this form of treatment since they refused to take any responsibility for their own therapy once they became depressed. In retrospect, they appeared to derive some pleasure out of being thought of by loved ones as severely incapacitated and requiring hospital care and shock treatment.

One of these patients was a woman of thirty-five who had suffered her first depressive episode fifteen years earlier when she was in college. Her mother was a teacher and had essentially ordered the patient to attend a local teacher's college while continuing to live at home. Throughout her childhood this woman had been trained to gauge her own worth by the amount of approval she received from her mother. She was restricted from playing with others and her nonscholastic pursuits were severely criticized. However, she was allowed—indeed strongly encouraged—to achieve in school. This woman remembered that as a child whenever she excelled in some scholastic activity, she would immediately think of her mother and hoped that the latter would be pleased. The woman's father was a pleasant but weak figure in the household. His role was to earn money (which was never enough for the mother) and to appease his wife. Another clear message that the mother gave

to the patient was that the world was a very dangerous place where others would trick you and take advantage of you. The mother further implied that the patient was no match for such a world and could only survive with the mother's protection.

As the patient reached adolescence, she began to rebel mildly against the mother, mostly in her fantasies. Boys started to show an interest in her and she was starting to derive pleasure outside the maternal orbit. She made secret plans to leave her local teacher's college and to go to an out-of-town university where she could live on her own and study what she herself chose. At this point her father suffered a severe heart attack which necessitated giving up his job. As a result, they shortly experienced financial problems and her hopes of leaving home were thwarted. With their dwindling income the mother became even more critical of the father, whom she berated in the crudest terms. The patient found it impossible to live at home with her mother, who appeared to have been continually angry, yet she did not see how she could afford to live on her own. Her one escape was to marry a young local businessman who did not fit her romantic ideal although he did offer a haven from the unhappy situation at home.

These were the circumstances in which she suffered her first attack of depression. The reasons for her decompensation appear fairly clear. She could no longer please her mother, who had become obsessed with money



and filled with venom against the world. Furthermore, the mother had changed in the patient's own eyes; the patient now saw her as uniformly punishing and abusive. The patient wanted to defend her father who, after all, had supported the household until his illness, but she dared not assert herself against the mother. She also was not assertive or adventurous enough to move out on her own and support herself. Instead she chose the security of a marriage which rapidly revealed that it would not satisfy her needs.

After recovering from her initial depression she returned to school, received her teaching degree, and from then on felt herself locked in a profession and a marital union which were both ungratifying. Her husband furthered her sense of helplessness by discouraging any social or personal activities that she might independently enjoy. Throughout the remainder of her life and until she entered psychotherapy, she succumbed to a semiparasitic and largely childish existence. Whenever external pressures, such as having a child, put additional demands on her, she became depressed.

It is noteworthy that in her dreams during therapy, she repeatedly returned to the original situation in college. Another telling incident about this patient was that as she began showing signs of assertion, her husband tried to get her to discontinue therapy in spite of her history of frequent hospitalizations. It is to her credit that she refused his demands and decided to pay for her therapy herself. At the beginning of her therapy, this woman

exuded a sense of helplessness, of everything being too much trouble, of being incapable of any independent action. She wanted things done for her, and to be taken care of by others or to be told what to do by others. She did not dare to make any decisions on her own. However, she had been far from helpless in other areas; she was a competent teacher, housewife, and mother. Her area of helplessness centered on assertion of her beliefs and independence from the evaluations of others.

The second patient was in his late twenties but already had been given two courses of electroconvulsive therapy. Initially, he constantly complained of being ineffectual and of being mistreated by others. Actually, he was very adept at indirectly getting his own way by manipulating those around him. He never considered the numerous times when other people tried to help him or treated him fairly. He focused only on those incidents when others had not lived up to his own idiosyncratic code of honor and had not accorded him special treatment. His two depressions had occurred when he could not get what he wanted, namely, the approval or special attention from esteemed others through his usual machinations. This patient believed he was helpless, but what actually occurred was that his usual mode of controlling others had failed.

This young man had been raised in an atmosphere of deception, secret deals, and obligating behavior and he could not at first consider any other

mode of conduct. This form of interaction had become automatic and unconscious. What remained in consciousness was a highly exaggerated response to the slightest rebuff and a feeling that everyone should go out of their way for him. The following excerpt is from a note he brought to one of his early sessions in order to convey his plight:

My heart is so affected by things, it cries. I am sad and I can't stop it and say "be happy." It just doesn't seem to do any good. But what else can I do — do it myself or have it done for me. What can I do. Something has to be done before one day I jump off a bridge or at least seriously want to. Will it pass? I pray, but if God exists I don't even know if he cares—look at the world we live in. I am lost.

On the surface, this pathetic passage may illustrate the helplessness this patient felt in terms of improving his condition; others had to do it for him. However, during the time he wrote this passage he reluctantly worked at his job and even gloated over making some especially good business deals. His despair actually related to being unable to attain the special recognition he felt he deserved from his father, who was also his boss.

There is no doubt that even mild depression can be an incapacitating illness which not only involves a felt sense of helplessness but also may affect an individual's level of performance. However, when the origin of this feeling of helplessness is traced psychotherapeutically what usually emerges is that the individual first felt helpless in achieving meaning or gratification either as praise from a dominant other or in pursuit of a dominant goal. Having failed

in these pursuits, the individual finds little meaning in any of life's other activities and his sense of helplessness generalizes to his entire social space. In other depressed individuals, such as the woman just described, the individual has made choices throughout life that lock him into an ungratifying existence. Here again the individual lacks the courage to break his self-imposed taboos and thus despairs of his helplessness first to gain pleasure and eventually to accomplish even the most rudimentary tasks.

### **The Cognitive Avoidance of Overt Anger**

In a recent paper on depression, Coyne (1976) related a strange cure for depression practiced by a Dr. Williams of London in the early nineteenth century. When a depressed individual consulted Dr. Williams, he informed the patient that he should seek out a certain doctor in Scotland who was famous for his ability to cure the disorder. The patient obediently journeyed to Scotland only to find that the highly able physician did not exist. After this fruitless search, the patient found that "a desire to upbraid (Dr. Williams) had engaged his entire thoughts on his way home, to the complete exclusion of his original complaint cited" (Coyne, 1976, p. 38). This anecdote suggests what has been almost universally found by authors on depression: the affect of depression is incompatible with the overt expression of anger. This finding has led to specific behavior modification techniques (although less circuitous than those of Dr. Williams) to evoke anger in depressed patients by assigning

them to monotonous, repetitive, and ungratifying tasks until the patient “blows up” and anger replaces depression (Taulbee and Wright, 1971). On the other hand, the incompatibility of overt anger and depression has also led to the notion that depression is a result of repressed rage. Indeed, as described in chapter 2, some have seen it as misdirected anger which torments the ego or the self-image.

The fact that clinical depression appears to decrease as the ability to directly express anger is displayed, however, does not prove this “repressed rage” hypothesis. Brenner (1975) reviewed a number of contributions which assert that enjoyment is also incompatible with the affect of depression. Does this prove then that enjoyment is repressed during depression and therapy should induce the patient to “get the enjoyment out”? It gradually becomes evident that direct repression of an affect is a complicated affair, if such a process can occur at all. What actually appears to be the case is that an individual’s unconscious cognitive system structures a situation to produce a specific effect. Therefore the depressive does not overtly display anger because he automatically structures his view of himself and others so that anger is not produced. Rather, the depressive appears to respond to what most individuals call anger-producing situations with self-blame, feelings of hurt, or some sort of excusing the other. Rather than simply assuming that the depressive represses anger or directs it at himself, a search for the cognitive distortions which fail to elicit an aggressive response may be more

productive.

The depressive's lack of overt anger recently has been interpreted in terms of his tenuous object relations. The expression of anger may antagonize the dominant other and jeopardize the depressive's sources of gratification. For example, Arieti (1974) described that anger in depressives ultimately leads to more depression; it creates the fear that the dominant other will abandon the individual, which leads to an increased sense of loss and hopelessness. Anger is seen as a highly dangerous affect which must be concealed and suppressed. Klein's classic formulation of the depressive position emphasizes the infant's fear of losing his inner good objects through his aggressive wishes. She interpreted the infant as attributing the pain and frustration of loss to his own angry behavior with a subsequent suppression of overt hostility. If Klein's basic formulations are extended to the interpersonal sphere, the depressives plight of being angry while in a state of need for nurturance from the other, and the resultant fear of the manifestation of that anger, becomes more understandable. To express anger directly means to lose the all-important other who supplies the incorporated good objects, that is, gratification and self-esteem. The depressive eventually believes that any expression of anger will catastrophically result in the loss of gratification.

The depressive's lack of overt hostility can also be due to his distortion

of relationships. Some depressives idealize the dominant other and so implicitly trust the other's judgment that they see no reason for resentment or anger. If they fail to obtain the other's acceptance, it is because they have not tried hard enough to be worthy, and not because the other is stingy or unjust. They feel they have only themselves to blame and thus have no cause to become angry. A middle-aged depressed woman, describing the failure of her considerable attempts to win praise and love from her father, exclaimed, "What is wrong with me that he doesn't love me?" This woman could not conceive of her father as ungenerous or unloving; it was her fault that she could not please him. Although married and the mother of three children, she still believed that her chief role in life was to please her father and devote herself to him. As in her childhood, her father was the only one who could make her happy and give meaning to her life. To alter her view of her father would have required an alteration of her entire mode of being.

Another possible reason for the depressive's inability to express anger is that the capacity to feel angry and to use anger as a direct mode of achieving an objective implies a sense of autonomy and independence that is just the ability the depressive lacks. These individuals are tuned to the reactions of others rather than to the expression of self, regardless of consequences. To become angry means to satisfy one's impulse without considering the effect on others, and it requires exactly the sense of self that the depressive has not developed. Thus he resorts to more reliable

manifestations of displeasure such as pouting or suffering, which produce the appropriate impact on others—guilt and forgiveness. Some depressives that Bonime (1967) so aptly described are stubbornly uncooperative in therapy; they spitefully refuse to take their share of responsibility and take pride in their resistance to change. Manipulation and control of others seem to be the cardinal features of their activity. This type of depressive, which is similar to Arieti's claiming type, may be understood as rebelling against the disappointments in past bargain relationships. These individuals feel themselves cheated by past dominant others who did not fulfill their promise, real or imagined, in return for self-sacrifice. These patients then resolve never to show any signs of true mutuality or cooperation as a way of punishing the dominant other, whose role the therapist has transferentially assumed. They will demand all sorts of favoritism and support while refusing to take any initiative in therapy and ultimately want to frustrate the therapist by not becoming what they believe he would wish them to be.

However, such patients never show anger overtly but punish the therapist by continually reminding him of their lack of improvement in therapy—that is, of the therapist's inability to change them. In this manner they make the therapist feel powerless and frustrated, but never give him cause to terminate the relationship. Thus they defeat the dominant other without losing him. Yet these patients continue to center their existence around the therapist and in reality defeat themselves in order allegedly to



control the other. Their activity continues to be judged in terms of the effect it will have on the therapist and the reaction it will elicit. Living in a world of reflective gratification, the depressive cannot conceive of himself as acting simply for himself. His every thought and act implicates the other and includes the other's reaction.

A talented college student who began experiencing episodes of anxiety and depression as she approached graduation described this type of other-dependent relatedness. She became immediately attracted to any man who showed her attention and would rush into a close relationship without adequately evaluating the other person. Her main concern was that he be pleased with her, and she devoted herself to fitting into her boyfriends' preferences. Despite her efforts to hold onto the relationship and placate the other, she was often exploited and treated with little consideration. When this occurred, she persistently blamed herself for having been rejected. She believed that she had somehow offended the other or that she had not been sufficiently perceptive of the other's needs. The other was right even in mistreating her. Each failure to maintain a relationship proved to her that she would be an old maid and condemned to a life of solitude. She believed that the only way she might escape abandonment would be to surrender autonomy and spontaneity. Any display of assertiveness, especially of anger or disagreement, would surely drive the other away. This young woman did occasionally get angry, but always after the fact: in the presence of esteemed

others, she was overcome with the desire to please and to endear herself. Even her considerable gifts were at the mercy of others, and a project that had taken her months to prepare became worthless if mildly criticized by a teacher. The teacher's judgment was never in question: if she had only worked harder, she might have pleased him.

A specific confirmation of the lack of repressed anger in mildly depressed patients comes from studies of their dreams. If they were bursting with unexpressed rage rather than distorting their view of the world in order to avoid anger, their dreams should reveal the repressed hostility. Beck and his colleagues examined the dreams of 218 patients who were independently rated by two judges as nondepressed, moderately depressed, and severely depressed. The major characteristics of the dreams of the depressed groups was a consistent masochistic trend. The dreams of the depressed patients revealed themes of disappointment, rejection, humiliation, or other similar unpleasant experiences, but the dreams did not exhibit notable anger.

Hauri (1976) reviewed some of the literature on the dreams of depressed patients as well as reporting his own study on eleven patients remitted from depression and who were matched with eleven control subjects. Past studies had shown that several depressed individuals report dreams that are bland, barren, and involve mainly family members. As depression lifts the dreams become more conflictual, although masochistic

and dependency themes persist even after clinical improvement.

Hauri's own study is noteworthy in that patients who had recovered from a depressive episode were selected and therefore their dreams reflected basic personality structure rather than the possible distortions of an acute depressive state. In addition, Hauri utilized all-night EEG tracings and awakened each subject to report dreams in order to reduce selective recall of only pleasant or socially acceptable dreams. In comparing recovered depressives with control subjects, Hauri found a number of significant differences in their dreams. Dreams of remitted depressive patients showed more past than present or future events, more unhappy than happy emotions, and more action exerted by nonhuman entities (storms, motors, bullets, and so on). Equally important was the finding that depressives did not show more hostility toward others or hostility toward the self in the dreams. Hauri commented that this may be the most important result of his study. Hauri concluded that on the basis of dream content, the depressive may see the world as dangerous or ungiving or even hostile, but this hostility neither emanates from the dreamer nor is directed against him.

Even Bonime, who believes that much neurotic depressive behavior is a distorted manifestation of anger, does not report excessive aggression in the dreams of depressed patients presented in his book, *The Clinical Use of Dreams* (1968). His work as well as that of Beck does not support the

repressed rage hypothesis.

Overt anger may occasionally be seen in some mildly depressed individuals when they view their situation more realistically. This may occur through therapeutic effort, or in some individuals before change through treatment. They can experience periods of insight when they are not blinded by their needs and distortions. This is usually not the case with severe depressives for whom reality has become completely transformed in its meaning. However, even in mildly depressed patients these periods are short-lived and the patients return to their accustomed mode of cognitive interpretation of events.

On the few occasions that I have observed depressive openly express anger, their expression was consistently clothed in moralistic terms with great attempts to justify the outburst. Even then the show of anger was not a simple expression of self, but a calculated attempt to coerce another to do something or to justify the feeling of depression by showing how they had been mistreated. Cohen and her co-workers (1954) also were not impressed with the importance of anger in their study of manic-depressive patients. The conclusions they reached are:

We have said little in this report about the manic-depressive's hostility. We feel that it has been considerably over-stressed as a dynamic factor in the illness. Certainly, a great deal of the patient's behavior leaves a hostile impression upon those around him, but we feel that the driving motivation

in the patient is the one we have stressed—the feeling of need and emptiness. The hostility we would relegate to a secondary position; we see hostile feelings arising in the patient as the result of frustration of his manipulative and exploitative needs. We conceive of such subsequent behavior—demandingness toward the other or self-injury—as being an attempt to restore the previous dependent situation (1954, p. 252).

The Washington group further adds “that much of the hostility that has been imputed to the patient has been the result of his annoying impact on others rather than of a primary motivation to do injury to them.”

Perhaps much of the confusion of the role of anger in depressed states owes its origin to differences of opinion regarding both the nature of depression and of anger. As Mendelson (1974) accurately observed, there is no uniform consensus about the definition of either affect. Some psychoanalysts require the presence of aggression in some form or other as necessary for the diagnosis of depression. These manifestations can be self-recriminations (self-directed anger), low self-esteem (aggressive cathexis of the self-representation), or manipulateness (controlling others by anger). This difference of opinion shows the equal lack of agreement on the nature of aggression. When Jacobson writes about an aggressive cathexis, she is describing a highly abstract metapsychological process that does not coincide with the overt, conscious expression of anger as known to the layman. The same is true of the intersystemic conflict between ego and superego. However, Bonime (1960) conceives of aggression as the covert motive of the depressive’s behavior in his lack of cooperation in therapy or his control of

others. Here aggression is implied from nonaggressive behavior by its end result or by its alleged motive. Still other psychiatrists describe anger or aggression as a felt state of self—of being angry. Therefore it appears that there is a discrepancy in the psychiatric literature as to whether aggression should be seen as a primary instinct or form of psychic energy (that cannot by definition be directly experienced), as a motive force behind behavior which is not phenomenologically felt as anger, or as a primary feeling state.

Despite this confusion over the conceptual status of aggression, it is clinically evident that the depressive shuns the direct expression and even the experience of anger. He does not use overt anger in the service of his needs; rather, he utilizes manipulateness to control others. If this manipulateness is termed a form of anger or aggression, then this special use of the term should be made explicit.

The extreme emphasis on the role of hostility in depression may be a lingering influence of Freud's original theories stated in *Mourning and Melancholia*, which described a good deal of depressive symptomatology as misdirected aggression. As Mendelson (1974) wisely observed: "Freud's explanation of the melancholic's self-reproaches and Abraham's description of the manic-depressive's ambivalence became universally and, it is feared, uncritically and uniformly applied to all depressive phenomena. And later authors frequently sought to justify these constructions rather than to

investigate their applicability” (p. 194).

## Family Background of Mild Depressives

As mentioned in chapter 2, there is a paucity of studies on family transactions in depression as compared with schizophrenia. The few studies that have attempted to determine the childhood roots of adult depression mainly have centered on the experience of parental loss. This interest in childhood bereavement appears stimulated by the hypotheses that adult depression is the reawakening of a childhood trauma, or that object loss is the basic problem in depressive disorders. Most studies have compared the frequency of the death of a parent during the childhood years of adult depressed patients and of matched controls. The results of these studies have been contradictory except for the finding that childhood loss (through death of a parent, divorce, or some other form of separation) is more common in all forms of psychiatric disorders, especially delinquency. Brown (1968) made an additional intriguing observation: 55 percent of the poets listed in the *Oxford Book of English Verse* and the *Dictionary of National Biography* (in England) lost a father or mother before the age of fifteen. This is a higher rate of parental death than is found in depressive (or delinquent) samples. Brown speculated that these poets turned to internal sources of gratification through fantasy to soften the blow of the parental loss, and their native genius later allowed these fantasies to be expressed poetically.

The rate of parental loss may not be the significant factor for later disturbance if it is taken in isolation. The effect of the loss on the surviving parent, the subsequent disruption of the family, the availability of substitutes, the child's age at the time of the loss, and his conception of the loss must all be taken into account in retrospective studies. Loss of a parent through death or other misfortune is certainly a significant childhood trauma but it does not appear specifically to predispose one to depression as an adult. To view the adult depressive as the recapitulation of an actual childhood loss is somewhat simplistic. Freud, who originated this concept of reactivated childhood trauma, did not intend the actual loss of the parent but the loss of the parent's love, which is a totally different matter. This loss of love may then represent an unconscious decathexis of the object representation and thus an unconscious object loss, but it is not meant to imply a loss of the parent in reality. Here again a metapsychological hypothesis and clinical data become confused. Sandler and Joffe (1965) tried to clarify the matter by stressing that depression is not the result of the loss of an object but a state of well-being of the self supplied by the object.

Cohen et al. (1954) did attempt a retrospective reconstruction of the childhoods of their twelve manic-depressive cases. They did not find evidence of early object loss or of a childhood depressive reaction equivalent to Abraham's "primal parathymia" (1924). Rather, these investigators noted that the families felt isolated or ostracized from the mainstream of society, the



mothers blamed the fathers for the alleged social failure, and the child was expected to redeem the family's honor or prestige. In terms of more specific child rearing, this group found that the mother accepted the child when he was a helpless infant but began to reject him when he displayed the normal willfulness of a toddler. These findings are confirmed by Arieti in chapter 6: in the early childhood of severe depressives the mother is initially giving and loving but quickly begins to make stringent demands on the child so that continued nurturance is contingent on the child's fulfillment of expectations. The important aspect of this interpersonal relationship for the child is the realization that love can be abruptly withdrawn if parental expectations are not met. It may not be an actual loss that predisposes the individual to depression, but the constant fear that a loss can occur if the proper behavior is not forthcoming.

A later development noted both by Cohen et al. (1954) and Arieti is that the parent assumes the power to redeem the child, to make him feel worthy. The child is convinced that it is his own fault if he does not achieve this redemption: if he had tried harder he could have obtained the needed support of the parent. This interchange sets up the process by which the adult depressive attempts to attain love by obedience and hard work, blaming himself if he does not achieve his objective. Much of this aspect of the future depressive already has been covered in chapter 6 and will not be repeated here. It is sufficient to note that the child's failure to fulfill parental

expectations is experienced as guilt and worthlessness.

Slipp (1976) studied the family setting that produces a depressive individual. He found that the child is given a contradictory message from the parents: the child is expected to succeed socially and at the same time expected to fail, so as not to become too independent of the parents. Slipp described the parents as expecting achievement and yet simultaneously rewarding failure. The child learns to succeed but fears that this success will bring abandonment. According to Slipp:

The depressive evolves an oppositional form of symbiosis as a compromise solution to this double bind. By partial compliance to both succeed and fail messages, he does not risk abandonment by either parent; yet by rebelling sufficiently against these injunctives, he preserves some autonomy. Through halfhearted performances to his parents' wishes, he can play off both pressures and avoid being either strong or totally helpless. By partially defeating himself and losing he can claim to be a victim of external circumstances, and he does not have to take responsibility (1976, p. 398).

Therefore Slipp traces the pathological behavior of the adult depressive to the childhood solution of a double message: succeed for the family but fail lest you become independent of the family.

While I do not agree with every aspect of Slipp's analysis, the observations presented by him are important in demonstrating how the experience of independent success is perverted in the childhood of future depressives. In my experience, some future depressives have been given a

clear message to succeed, but the success later was robbed of its meaning; rather, it was presented as rightful repayment to the parent, as simply keeping up with the alleged superiority of the family, or as a way to get love from the parent. The child was told to succeed but that he should not enjoy his success.

The disparities between the childhoods of severe and mild depressives appear to be more a function of the amount of this thwarting of development than a function of qualitative differences. As a rule, the childhood of mild depressives was not so blunted by moralistic blaming and early threats of abandonment. Often the patients were made to feel weak or lazy rather than evil. They also did not have to work as hard or to distort their perceptions as much to gain parental approval. They often were the family favorites and were able to maintain this role by compliance. Therefore their inducements for buying the parental distortions were positive (favoritism, praise) rather than negative (guilty recriminations, threats of abandonment). Finally, for most but not all mild depressives, the father rather than the mother was the dominant parent. This finding was also reported by Slipp (1976). While such individuals soon became imbued with the family distortions that everyone owed everything to the father and their task was to insure the father's benevolence, they managed to continue a close relationship with a loving though weak and submissive mother. The threat of abandonment also came at a later stage of development and so had less impact on the personality. It

was not until such individuals could bring social value to the family by model behavior or excellent grades that the father became interested in them. Before this time they were treated as unimportant charges of the mother.

Nevertheless, in these individuals as well as in the severe melancholics there is a basic instability of self-esteem. They also have been unable to internalize sources of worth and must constantly derive their meaning as individuals from external agencies. They remain forever excessively vulnerable to the disappointments and losses which, for better or worse, form part of human destiny.

### *Notes*

- [1] Some confirmatory evidence for considering depression (as a primary feeling state and not as a clinical syndrome) as a basic psychobiological response is that it can be produced by physiological means. Mild depressions can be observed following viral illnesses or in states of fatigue. Depression also can accompany hypothyroidism or pancreatic disease or be produced by drugs such as reserpine. All this seems to indicate that depression, while most frequently caused by psychological events, is closely tied to basic neurochemical alterations and thus appears to be a fundamental mode of reaction which is similar to other emotions.

## REFERENCES

- Abraham, K. 1960 (orig. 1911). Notes on the psychoanalytic treatment of manic-depressive insanity and allied conditions. In *Selected papers on psychoanalysis*. New York: Basic Books. Pp. 137-156.
- \_\_\_\_\_. 1960 (orig. 1916). The first pregenital stage of the libido. In *Selected papers on psychoanalysis*. New York: Basic Books. Pp. 248-279.
- \_\_\_\_\_. 1960 (orig. 1924). A short study of the development of libido, viewed in the light of mental disorders. In *Selected papers on psychoanalysis*. New York: Basic Books. Pp. 418-501.
- Adler, K. A. 1961. Depression in the light of individual psychology. *Journal of Individual Psychology* 17:56-67.
- Akiskal, H. S., and McKinney, W. T. 1975. Overview of recent research in depression. Integration of ten conceptual models into a comprehensive clinical frame. *Archives of General Psychiatry* 32:285-305.
- Annell, A. L. 1969. Lithium in the treatment of children and adolescents. *Acta Psychiatrica Scandinavia* Suppl. 207:19-30.
- Annell, A. L., ed. 1971. *Depressive states in childhood and adolescence*. New York: Halsted Press.
- Ansbacher, II. L., and Ansbacher, R. R. 1956. *The Individual psychology of Alfred Adler*. New York: Harper.
- Anthony, E. J. 1967. Psychoneurotic disorders. In A. M. Friedman and H. I. Kaplan, eds. *Comprehensive textbook of psychiatry*. Baltimore: Williams & Wellsing.
- \_\_\_\_\_. 1975a. Childhood depression. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.
- \_\_\_\_\_. 1975b. Two contrasting types of adolescent depression and their treatment. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.

- Anthony, E. J., and Scott, P. 1960. Manic-depressive psychosis in childhood. *Child Psychology and Psychiatry* 1:53-72.
- Arieti, S. 1950. New views on the psychology and psychopathology of wit and of the comic. *Psychiatry* 13:43-62.
- \_\_\_\_\_. 1959. Manic-depressive psychosis. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. I. New York: Basic Books. Pp. 419-454.
- \_\_\_\_\_. 1960. The experiences of inner states. In B. Kaplan and S. Wapner, eds. *Perspectives in psychological theory*. New York: International Universities Press. Pp. 20-46.
- \_\_\_\_\_. 1962. The psychotherapeutic approach to depression. *American Journal of Psychotherapy* 16:397-406.
- \_\_\_\_\_. 1967. *The intrapsychic self*. New York: Basic Books.
- \_\_\_\_\_. 1970a. Cognition and feeling. In A. Magda, *Feelings and emotions*. New York: Academic Press.
- \_\_\_\_\_. 1970b. The structural and psychodynamic role of cognition in the human psyche. In S. Arieti, ed. *The world biennial of psychiatry and psychotherapy*, Vol. I. New York: Basic Books, Pp. 3-33.
- \_\_\_\_\_. 1972. *The will to be human*. New York: Quadrangle. (Available also in paperback edition. New York: Delta Book, Dell Publishing Co., 1975.)
- \_\_\_\_\_. 1974a. *Interpretation of schizophrenia*, Second ed. New York: Basic Books.
- \_\_\_\_\_. 1974b. The cognitive-volitional school. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. I. New York: Basic Books. Pp. 877-903.
- \_\_\_\_\_. 1974c. Manic-depressive psychosis and psychotic depression. In S. Arieti, ed. *American handbook of psychiatry*, Vol. III. New York: Basic Books.
- \_\_\_\_\_. 1976. *Creativity: the magic synthesis*. New York: Basic Books.

- \_\_\_\_\_. 1977. Psychotherapy of severe depression. *American Journal of Psychiatry* 134:864-868.
- Aronoff, M., Evans, R., and Durell, J. 1971. Effect of lithium salts on electrolyte metabolism. *Journal of Psychiatric Research* 8:139-159.
- Baastrop, P. C., and Schou, M. 1967. Lithium as a prophylactic agent against recurrent depressions and manic-depressive psychosis. *Archives of General Psychiatry* 16:162-172.
- Baldessarini, R. J. 1975. The basis for the amine hypothesis in affective disorders. *Archives of General Psychiatry* 32:1087.
- Beck, A. 1967. *Depression: clinical, experimental, and theoretical aspects*. New York: Paul B. Hoeber.
- \_\_\_\_\_. 1970. The core problem in depression: the cognitive triad. In J. Masekman, ed. *Science and Psychoanalysis* 17. New York: Grune & Stratton.
- \_\_\_\_\_. 1976. *Cognitive therapy and the emotional disorders*. New York: International Universities Press.
- Becker, E. 1964. *The revolution in psychiatry*. New York: Free Press.
- \_\_\_\_\_. 1969. Kafka and the Oedipal complex. In *Angel in armor*. New York: Braziller.
- Beckett, S. 1959. *Waiting for godot*. London: Faber & Faber.
- Beliak, L. 1952. *Manic-depressive psychosis and allied conditions*. New York: Grune & Stratton.
- Bemporad, J. R. 1970. New views on the psychodynamics of the depressive character. In S. Arieti, ed. *The world biennial of psychiatry and psychotherapy*, vol. I. New York: Basic Books.
- \_\_\_\_\_. 1973. The role of the other in some forms of psychopathology. *Journal of the American Academy of Psychoanalysis* 1:367-379.

- \_\_\_\_\_. 1976. Psychotherapy of the depressive character. *Journal of the American Academy of Psychoanalysis* 4:347-372.
- Bender, L., and Schilder, P. 1937. Suicidal preoccupations and attempts in children. *American Journal of Orthopsychiatry* 7:225-243.
- Beres, D. 1966. Superego and depression. In R. M. Lowenstein, L. M. Newman, M. Scherr, and A. J. Solnit, eds. *Psychoanalysis—a general psychology*. New York: International Universities Press.
- Berg, J., Hullin, R., and Allsopp, M. 1974. Bipolar manic-depressive psychosis in early adolescence. *British Journal of Psychiatry* 125:416-418.
- Berman, H. H. 1933. Order of birth in manic-depressive reactions. *Psychiatric Quarterly* 12:43.
- Berner, P., Katschnig, H., and Poldinger, W. 1973. What does the term “masked depression” mean? In Kielholz, P., ed. *Masked depression*. Bern:Huber.
- Bertalanffy, L. von. 1956. General system theory. In Bertalanffy, L. von, and Rapaport, A., eds. *General system yearbook of the society for the advancement of general system theory*. Ann Arbor: University of Michigan Press.
- Bibring, E. 1953. The mechanism of depression. In P. Greenacre, ed. *Affective disorders*. New York: International Universities Press.
- Bieber, I., and Bieber, T. B. (In press.) Postpartum reactions in men and women. *Journal of the American Academy of Psychoanalysis* 6 (1978).
- Bierman, J. S., Silverstein, A. B., and Finesinger, J. E. 1958. A depression in a six-year-old boy with poliomyelitis. *Psychoanalytic Study of the Child* 13:430-450.
- Bigelow, N. 1959. The involuntional psychosis. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. I. New York: Basic Books. Pp. 540-545.
- Binswanger, L. 1933. *Über ideenflucht*. Orrele-Fusseler.



- \_\_\_\_\_. 1963. Heidegger's analytic of existence and its meaning for psychiatry. In *Being-in-the-world*. New York: Basic Books.
- Bonhoeffer, K. 1910. *Die symptomatischen psychosen im gefolge von akuten infektionem und inneren erkrankungen*. Leipzig: Deutieke.
- Bonime, W. 1960. Depression as a practice. *Comparative Psychiatry* 1:194-198.
- \_\_\_\_\_. 1962. *The clinical use of dreams*. New York: Basic Books.
- \_\_\_\_\_. 1962. Dynamics and psychotherapy of depression. In J. Masserman, ed. *Current psychiatric therapies*. New York: Grune & Stratton.
- \_\_\_\_\_. 1976. The psychodynamics of neurotic depression. *Journal of the American Academy of Psychoanalysis* 4:301-326.
- Bonime, W., and Bonime, E. (In press.) Depressive personality and affect reflected in dreams: a basis for psychotherapy. In J. M. Natterson, ed. *The dream in clinical practice*. New York: Aronson.
- Bowlby, J. 1958. The nature of the child's tie to his mother. *International Journal of Psycho-Analysis* 39:350-373.
- \_\_\_\_\_. 1960a. Grief and mourning in infancy and early childhood. *The Psychoanalytic Study of the child* 15:9-52. New York: International Universities Press.
- \_\_\_\_\_. 1960b. Separation anxiety. *International Journal of Psycho-Analysis* 41: 89-113.
- Boyd, D. A. 1942. Mental disorders associated with child-bearing. *American Journal of Obstetrics and Gynecology* 43:148-163; 335-349.
- Braceland, F. J. 1957. Kraepelin, his system and his influence. *American Journal of Psychiatry* 114:871.
- \_\_\_\_\_. 1966. Depressions and their treatment. In J. J. Lopez Ibor, ed. *Proceedings IV, Part 1*. Madrid: World Conference on Psychiatry. p. 467.

- Brand, H. 1976. Kafka's creative crisis. *Journal of the American Academy of Psychoanalysis* 4:249-260.
- Brenner, B. 1975. Enjoyment as a preventative of depressive affect. *Journal of Comparative Psychology* 3:346-357.
- Brill, H. 1975. Postencephalitic states or conditions. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. IV. Pp. 152-165.
- Brod, M. 1973. *Franz Kafka: a biography*. New York: Schocken Books. (Paperback.)
- Brown, F. 1968. Bereavement and lack of a parent in childhood. In E. Miller, ed. *Foundations of child psychiatry*. London: Pergamon.
- Buber, M. 1937. *I and thou*. Edinburgh: Clark.
- Bunney, W. E., Carpenter, W. T., and Engelmann, K. 1972. Brain serotonin and depressive illness. In T. A. Williams, M. M. Katz, and J. A. Shield, Jr., eds. *Recent advances in the psychobiology of the depressive illnesses*. Department of Health, Education, and Welfare: Publication No. (HSM) 70—9053.
- Burton, R. 1927. *The anatomy of melancholy*. New York: Tudor.
- Cade, J. F. 1949. Lithium salts in the treatment of psychotic excitement. *Medical Journal of Australia* 2:349-352.
- Cadore, R. J., and Tanna, V. L. 1977. Genetics of affective disorders. In G. Usdin, ed. *Depression*. New York: Brunner/Mazel. Pp. 104-121.
- Cameron, N. 1944. The functional psychoses. In J. Mev. Hunt, ed. *Personality and behavior disorders*, Vol. 2. New York: Ronald Press.
- Camus, A. 1942. *Le myth de sisyphé*. Paris: Gallimard. (Quoted in Esslin, 1969).
- Carver, A. 1921. Notes on the analysis of a case of melancholia. *Journal of Neurology and Psychopathology* 1:320-324.

- Cerletti, V., and Bini, L. 1938. L'elettroshock. *Archivi generali di neurologia, psichiatria e psicoanalisi* 19:266.
- Charatan, F. B. 1975. Depression in old age. *New York State Journal of Medicine* 75:2505-2509.
- Chertok, L. 1969. *Motherhood and personality, psychosomatic aspects of childbirth*. London: Tavistock.
- Chodoff, P. 1970. The core problem in depression. In J. Masserman, ed. *Science and Psychoanalysis*, Vol. 17. New York: Grune & Stratton.
- \_\_\_\_\_. 1972. The depressive personality. *Archives of General Psychiatry* 27:666-677.
- Choron, J. 1972. *Suicide*. New York: Scribner's.
- Cohen, M. B., Blake, G., Cohen, R. A., Fromm-Reichmann, F., and Weigert, E. V. 1954. An intensive study of twelve cases of manic-depressive psychosis. *Psychiatry* 17:103-38.
- Committee on Nomenclature and Statistics of the American Psychiatric Association. 1968. *DSM—II: diagnostic and statistical manual of mental disorders*, Second ed. Washington: American Psychiatric Association.
- Cooperman, S. 1966. Kafka's "A Country Doctor"—microcosm of symbolism. In Manheim, L. and Manheim, E., eds. *Hidden Patterns*. New York: Macmillan.
- Coppen, A., Shaw, D. M., and Farrell, J. P. 1963. Potentiation of the antidepressing effect of a monoamine oxidase inhibition by tryptophan. *Lancet* 11:79-81.
- Covi, L., Lipman, R. S., Derogatis, L. R., et al. 1974. Drugs and group psychotherapy in neurotic depression. *American Journal of Psychiatry* 131:191-198.
- Coyne, J. C. 1976. Toward an interactional description of depression. *Psychiatry* 39: 28-40.
- Cytryn, L., and McKnew, D. H., Jr. 1972. Proposed classification of childhood depression. *American Journal of Psychiatry* 129:149.

- Davidson, G. M. 1936. Concerning schizophrenia and manic-depressive psychosis associated with pregnancy and childbirth. *American Journal of Psychiatry* 92:1331.
- Da Vinci, M. N. 1976. Women on women: the looking-glass novel. *Denver Quarterly* 11:1-13.
- Dennis, W., and Najarian, P. 1957. Infant development under environmental handicap. *Psychology Monographs* 71:1-13.
- Despert, L. 1952. Suicide and depression in children. *Nervous Child* 9:378-389.
- Dublin, L. I. 1963. *Suicide: a sociological and statistical study*. New York: Ronald Press.
- Durand-Fardel, M. 1855. Etude sur le suicide chez les enfants. *Annals of Medicine* 1:61—79.
- Durell, J., and Schildkraut, J. J. 1966. Biochemical studies of the schizophrenic and affective disorders. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. III. New York: Basic Books.
- Easson, W. II. 1977. Depression in adolescence. In S. C. Feinstein and P. Giovacchini, eds. *Adolescent psychiatry*, Vol. 5. New York: Aronson.
- Eaton, J. W., and Weil, R. J. 19550. *Culture and mental disorders*. Glencoe: Free Press.
- \_\_\_\_\_. 1955b. The Mental health of the Hutterites. In A. M. Rose, ed. *Mental health and mental disorders*. New York: Norton.
- Engel, G., and Reichsman, F. 1956. Spontaneous and experimentally induced depressions in an infant with gastric fistula. *Journal of the American Psychoanalytic Association* 4:428-456.
- English, II. B., and English, A. C. 1958. *A comprehensive dictionary of psychological and psychoanalytic terms*. New York, London, Toronto: Longmans, Green and Co.
- English, O. S. 1949. Observations of trends in manic-depressive psychosis. *Psychiatry* 12:125.
- Erikson, E. H. 1959. *Identity and the life cycle*. *Psychological Issues*, Vol. 1. New York: International

Universities Press.

\_\_\_\_\_. 1963. *Childhood and society*. New York: Norton.

Esslin, M. 1969. *The theatre of the absurd*, rev. ed. Garden City: Anchor Books, Doubleday.

Faris, R. E. L., and Dunham, H. W. 1939. *Mental disorders in urban areas*. Chicago: Univ. of Chicago Press.

Feinstein, S. G., and Wolpert, E. A. 1973. Juvenile manic-depressive illness. *Journal of the American Academy of Child Psychiatry* 12:123-136.

Fenichel, O. 1945. *The psychoanalytic theory of neurosis*. New York: Norton.

Fieve, R. R., Platman, S., and Plutehik, R. 1968. The use of lithium in affective disorders. *American Journal of Psychiatry* 125:487-491.

Forrest, T. 1969. The combined use of marital and individual therapy in depression. *Contemporary Psychoanalysis* 6:76-83.

Frazier, S. H. 1976. Changing patterns in the management of depression. *Diseases of the Nervous System* 37:25-29.

Freud, A. 1953. Some remarks on infant observation. *The Psychoanalytic Study of the Child* 8:9-19.

\_\_\_\_\_. 1960. Discussion of Dr. J. Bowlby's paper. *The Psychoanalytic Study of the Child* 15:53-62.

\_\_\_\_\_. 1970. The symptomatology of childhood. *The Psychoanalytic Study of the Child* 25:19-41.

Freud, S. 1957 (orig. 1900). The interpretation of dreams. *Standard Edition* 4, 5. London: Hogarth Press.

\_\_\_\_\_. 1957 (orig. 1917). Mourning and melancholia. *Standard Edition* 14:243-58. London: Hogarth Press.

\_\_\_\_\_. 1957- (orig. 1921). Group psychology and the analysis of the ego. *Standard Edition* 18.

London: Hogarth Press.

\_\_\_\_\_. 1957 (orig. 1923). The ego and the id. *Standard Edition* 19. London: Hogarth Press.

\_\_\_\_\_. 1957 (orig. 1927). Fetishism. *Standard Edition* 21. London: Hogarth Press.

\_\_\_\_\_. 1969. (orig. 1933). *New introductory lectures on psycho-analysis. Standard Edition* 22. London: Hogarth Press.

\_\_\_\_\_. 1957 (orig. 1938). Splitting of the ego in the defensive process. *Standard Edition* 23. London: Hogarth Press.

Fromm E. 1941. *Escape from freedom*. New York: Rinehart.

\_\_\_\_\_. 1947. *Man for himself*. New York: Rinehart.

Frommer, E. A. 1968. Depressive illness in childhood. In A. Coppen and A. Walk, eds. Recent developments in affective disorders. *British Journal of Psychiatry*, special publication no. 2. Pp. 117-136.

Fromm-Reiehmman, F. 1949. Discussion of a paper by O. S. English. *Psychiatry* 12: 133.

Gardner, J. 1977. Death by art. some men kill you with a six-gun, some men with a pen. *Critical Inquiry* 3(5).

Geisler, L. S. 1973. Masked depression in patients suspected of suffering from internal diseases. In Kielholz, 1973.

Gero, G. 1936. The construction of depression. *International Journal of Psycho- Analysis* 17:423-461.

Gibbons, J. L. 1967. Cortisol secretion rate in depressive illness. *Archives of General Psychiatry* 10:572.

Gibson, R. W. 1958. The family background and early life experience of the manic- depressive patient: a comparison with the schizophrenic patient. *Psychiatry* 21: 71-90.

- Goethe, W. 1827. *Nacldeze zu Aristotcles Poetik*.
- Gold, H. R. 1951. Observations on cultural psychiatry during a world tour of mental hospitals. *American Journal of Psychiatry* 108:462.
- Goodwin, F. K., and Bunney, W. E. 1973. A psychobiological approach to affective illness. *Psychiatric Annals* 3:19.
- Gove, W. R. 1972. The relationship between sex roles, marital status, and mental illness. *Social Focus* 51:36-66.
- \_\_\_\_\_. 1973. Sex, marital status, and mortality. *American Journal of Sociology* 79: 45-67.
- Green, A. W. 1946. The middle-class male child and neurosis. *American Sociological Review* 11:31-41.
- Greenspan, K., Aronoff, M., and Bogdansky, D. 1970. Effect of lithium carbonate on turnover and metabolism of norepinephrine. *Pharmacology* 3:129-136.
- Group for the Advancement of Psychiatry. 1975. *Pharmacotherapy and psychotherapy: paradoxes, problems and progress*, Vol. IX. New York.
- Cutheil, E. A. 1959. Reactive depressions. In Arieti, S., ed. *American handbook of psychiatry*, First ed. Vol. I. New York: Basic Books. Pp. 345-352.
- Guyton, A. C. 1972. *Structure and function of the nervous system*. Philadelphia: W. B. Saunders.
- Hall, C. S., and Lind, R. E. 1970. *Dreams, life, and literature: a study of Franz Kafka*. Chapel Hill: University of North Carolina Press.
- Hauri, P. 1976. Dreams in patients remitted from reactive depression. *Journal of Abnormal Psychology* 85:1-10.
- Helgason, T. 1964. Epidemiology of mental disorders in Iceland. *Acta Psychiatrica Scandanavia* 40.

- Hempel, J. 1937. Die "vegetativ-dystone depression." *Nervenarzt* 10:22.
- Hendin, M. 1975. Growing up dead: student suicide. *American Journal of Psychotherapy* 29:327-338.
- Herzog, A., and Detre, T. 1976. Psychotic reactions associated with childbirth. *Diseases of the Nervous System* 37:229-235.
- Hinsie, L. E., and Campbell, R. J. 1960. *Psychiatric dictionary*. New York: Oxford University Press.
- Horney, K. 1945. *Our inner conflicts*. New York: Norton.
- \_\_\_\_\_. 1950. *Neurosis and human growth*. New York: Norton.
- Jacobson, E. 1946. The effect of disappointment on ego and superego formation in normal and depressive development. *Psychoanalytic Review* 33:129-147.
- \_\_\_\_\_. 1954. The self and the object world. *Psychoanalytic Study of the Child* 9:75.
- \_\_\_\_\_. 1961. Adolescent moods and the remodeling of psychic structures in adolescence. *Psychoanalytic Study of the Child* 16:164-183.
- \_\_\_\_\_. 1971. *Depression*. New York: International Universities Press.
- \_\_\_\_\_. 1975- The psychoanalytic treatment of depressive patients. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.
- Janouch, G. 1953. *Conversations with Kafka*. London: Derek Verschoyle.
- Jaspers, K. 1964. *General psychopathology*. Chicago: University of Chicago Press.
- Jelliffe, S. E. 1931. Some historical phases of the manic-depressive synthesis. In *Manic-depressive psychosis*, Applied research in nervous and mental disease, Vol. XI. Baltimore: Williams & Wilkins.
- Joffe, W. G., and Sandler, J. 1965. Notes on pain, depression, and individualism. *Psychoanalytic*



*Study of the Child* 20:394-424.

Jones, E. 1955. *Sigmund Freud: life and work*, Vol II. New York: Basic Books.

Kafka, F. 1949. *Diaries*. Vol. 1: 1910-1913. Vol. 2: 1914-1923. New York: Schocken.

\_\_\_\_\_. 1971. *The complete stories*. New York: Schocken.

\_\_\_\_\_. 1973. (orig. 1919) *Letter to his father*. New York: Schocken.

Kasanin, J., and Kaufman, M. R. 1929. A study of the functional psychoses in childhood. *American Journal of Psychiatry* 9:307-384.

Katz, S. E. 1934. The family constellation as a predisposing factor in psychosis. *Psychiatric Quarterly* 8:121.

Kennedy, F. 1944. Neuroses related to manic-depressive constitutions. *Medical Clinics of North America* 28:452.

Kielholz, P., ed. 1972. *Depressive illness*. Bern: Huber.

\_\_\_\_\_. ed. 1973. *Masked depression*. Bern: Huber.

Kierkegaard, S. 1954. (orig. 1843 and 1849). *Fear and trembling* and *The sickness unto death*. New York: Doubleday (Anchor).

Klaus, M. II., and Kennell, J. H. 1976. *Maternal-infant bonding*. St. Louis: Mosby.

Klein, D. F. 1974. Endogenomorphic depression. *Archives of General Psychiatry* 31: 447-454.

Klein, M. 1948 (orig. 1940). Mourning and its relation to manic-depressive states. In M. Klein, ed. *Contributions to psychoanalysis, 1.921-1945*. London: Hogarth Press.

Klerman, G. L., Dimaseio, A., Weissman, M. et al. 1974. Treatment of depression by drugs and psychotherapy. *American Journal of Psychiatry* 131:186-191.

- Koerner, O. 1929. *Die aerztliche Kenntnisse in Ilias und Odysse*. (Quoted in Jelliffe, 1931)
- Kohlberg, L. 1969. Stage and sequence: the cognitive-developmental approach to socialization. In D. A. Goslin, ed. *Handbook of socialization theory and research*. Chicago: Rand McNally.
- Kolb, L. C. 1956. Psychotherapeutic evolution and its implications. *Psychiatric Quarterly* 30:1-19.
- \_\_\_\_\_. 1959. Personal communication
- Kovacs, M. 1976. Presentation in working conference to critically examine DMS-111 in midstream. St. Louis: June 10-12.
- Kraepelin, E. 1921. *Manic-depressive insanity and paranoia*. Edinburgh: Livingstone.
- Kuhn, T. S. 1962. *The structure of scientific revolutions*, 2d ed. Chicago: University of Chicago Press.
- Kurland, H. D. 1964. Steroid excretion in depressive disorders. *Archives of General Psychiatry* 10:554.
- Kurland, M. L. 1976. Neurotic depression: an empirical guide to two specific drug treatments. *Diseases of the Nervous System* 37:424-431.
- Landis, C., and Page, J. D. 1938. *Society and mental disease*. New York: Rinehart.
- Laplaneche, J., and Pontalis, J. B. 1973. *The language of psychoanalysis*. New York: Norton.
- Leeper, R. W. 1948. A motivational theory of emotion to replace "emotion as disorganized response." *Psychiatric Review* 55:5-21.
- Lemke, R. 1949. Uber die vegetativ Depression. *Psychiat. Neurol, Und Psychol.* 1:161.
- Lesse, S., ed. 1974a. *Masked depression*. New York: Aronson.
- \_\_\_\_\_. 1974b. Psychotherapy in combination with antidepressant drugs in patients with severe

- masked depression. *American Journal of Psychotherapy* 31:185-203.
- Levine, S. 1965. Some suggestions for treating the depressed patient. *Psychoanalytic Quarterly* 34:37-45.
- Levy, D. 1937. Primary affect hunger. *American Journal of Psychiatry* 94:643-652.
- Lewinsohn, P. M. 1969. Depression: a clinical research approach. (Unpublished manuscript, cited in Coyne, 1976.)
- Lewis, A. 1934. Melancholia: a historical review. *Journal of Mental Science* 80:1.
- Lindemann, E. 1944. The symptomatology and management of acute grief. *American Journal of Psychiatry* 101:141.
- Loevinger, J. 1976. *Ego development*. San Francisco: Jossey-Bass.
- Lopes Ibor, J. J. 1966. *Las neurosis como enfermedades del animo*. Madrid: Gedos.
- \_\_\_\_\_. Masked depression and depressive equivalents. (Cited in Kielholz, P. *Masked Depression* Bern: Huber 1972.)
- Lorand, S. 1937. Dynamics and therapy of depressive states. *Psychoanalytic Review* 24:337-349-
- Lorenz, M. 1953. Language behavior in manic patients. A qualitative study. *Archives of Neurology and Psychiatry* 69:14.
- Lorenz, M., and Cobb, S. 1952. Language behavior in manic patients. *Archives of Neurology and Psychiatry* 67:763.
- Luria, A. R. 1966. *Higher cortical functions in man*. New York: Basic Books.
- \_\_\_\_\_. 1973. *The working brain. An introduction to neuropsychology*. New York: Basic Books.
- McCabe, M. S. 1975. Demographic differences in functional psychosis. *British Journal of Psychiatry* 127:320-323.

- McConville, B. J., Boag, L. C., and Purohit, A. P. 1973. Three types of childhood depression. *Canadian Psychiatric Association Journal* 18:133-138.
- MacLean, P. D. 1959. The limbic system with respect to two basic life principles. In M. A. B. Brazier, ed. *The central nervous system and behavior*. New York: Macy.
- Magny, C. E. 1946. The objective depiction of absurdity. In A. Flores, ed. *The Kafka problem*. New York: New Directions.
- Mahler, M. 1961. Sadness and grief in childhood. *Psychoanalytical study of the child* 16:332-351.
- \_\_\_\_\_. 1966. Notes on the development of basic moods: the depressive affect. In R. M. Lowenstein, L. M. Newman, M. Schur, and A. J. Solnit, eds. *Psychoanalysis— a general psychology*. New York: International Universities Press. Pp. 152-160.
- \_\_\_\_\_. 1968. *On human symbiosis and the vicissitudes of individuation*. New York: International Universities Press.
- Malmquist, C. 1971. Depression in childhood and adolescence. *New England Journal of Medicine* 284:887-893; 955-961.
- Malzberg, B. 1937. Is birth order related to incidence of mental disease? *American Journal of Physical Anthropology* 24:91.
- \_\_\_\_\_. 1940. *Social and biological aspects of mental disease*. Utica, New York: State Hospital Press.
- Mandell, A. J., and Segal, D. S. 1975. Neurochemical aspects of adaptive regulation in depression: failure and treatment. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.
- Maranon, C. 1954. Climacteric: the critical age in the male. In A. M. Krich, ed. *Men: the variety and meaning of their sexual experiences*. New York: Dell.
- Mattson, A., Sesse, L. R., and Hawkins, J. W. 1969. Suicidal behavior as a child psychiatric emergency. *Archives of General Psychiatry* 20:100-109.

- Mendels, J. 1974. Biological aspects of affective illness. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. III. New York: Basic Books. Pp. 491-523.
- Mendels, J., Stern, S., and Frazer, A. 1976. Biological concepts of depression. In D. M. Gallant and G. M. Simpson, eds. *Depression*. New York: Spectrum Publications. 15P. 19-76.
- Mendelson, M. 1974. *Psychoanalytic concepts of depression*. New York: Spectrum Publications.
- Messina, F., Agallianos, D., and Clower, C. 1970. Dopamine excretion in affective states and following LijCo3 therapy. *Nature* 225:868-869.
- Meyer, A. 1908a. The role of the mental factors in psychiatry. *American Journal of Insanity* 65:39.
- \_\_\_\_\_. 1908b. The problems of mental reaction—types, mental causes and diseases. *Psychological Bulletin* 5:265.
- Miller, J. B. 1976. *Toward a new psychology of women*. Boston: Beacon Press.
- Miller, W. R., and Seligman, M. E. P. 1976. Learned helplessness, depression, and the perception of reinforcement. *Behavioral Research and Therapy* 14:7-17.
- Minkowski, E. 1958. Findings in a case of schizophrenic depression. In R. May, ed. *Existence*. New York: Basic Books.
- Mitscherlich, A., and Mitscherlich, M. 1975. *The inability to mourn*. Translated by B. R. Placzek. New York: Grove Press.
- Moulton, R. 1973. Sexual conflicts of contemporary women. In E. G. Wittenberg, ed. *Interpersonal explorations in psychoanalysis*. New York: Basic Books.
- Munn, N. L. 1946. *Psychology: the fundamentals of human adjustment*. New York: Houghton-Mifflin.
- Murphy, H. B. M., Wittkower, E. D., and Chance, N. A. 1967. Cross-cultural inquiry into the symptomatology of depression: a preliminary report. *International Journal of Psychiatry* 3:6-15.

- Nagy, M. II. 1959. The child's view of death. In H. Feifel, ed. *The meaning of death*. New York: McGraw-Hill.
- Neal, J. B., ed. 1942. *Encephalitis: a clinical study*. New York: Grune & Stratton.
- Neider, C. 1948. *The frozen sea: a study of Franz Kafka*. New York: Oxford University Press.
- Odegard, O. 1963. The psychiatric disease entities in the light of genetic investigation. *Acta Psychiatrica Scandinavia* (Suppl.) 169:94-104.
- Olds, J., and Milner, P. 1954. Positive reinforcement produced by electrical stimulation of septal area and other regions of rat brain. *Journal of Comparative Physiology and Psychology* 47:419-427.
- Oswald, I., Brezinova, J., and Dunleavy, D. L. F. 1972. On the slowness of action of tricyclic antidepressant drugs. *British Journal of Psychiatry* 120:673.
- Palmer, H. D., and Sherman, S. H. 1938. The involitional melancholic process. *Archives of Neurology and Psychiatry* 40:762-788.
- Papez, J. W. 1937. A proposed mechanism of emotion. *Archives of Neurology and Psychiatry* 38:725-743.
- Parkes, C. M. 1964. The effects of bereavement on physical and mental health: a study of the case records of widows. *British Medical Journal* 2:276.
- \_\_\_\_\_. 1965. Bereavement and mental illness. *British Journal of Medical Psychology* 38:1-25.
- \_\_\_\_\_. 1972. *Bereavement: studies of grief in adult life*. New York: International Universities Press.
- \_\_\_\_\_. 1973. Separation anxiety: an aspect of the search for the lost object. In R. J. Weiss, ed. *Loneliness. The experience of emotional and social isolation*. Cambridge: MIT Press.
- Parker, S. 1962. Eskimo psychopathology in the context of eskimo personality and culture. *American Anthropologist* 64:76-96.

- Perris, C. 1966. A study of bipolar (manic-depressive) and unipolar recurrent depressive psychosis. *Acta Psychiatrica Scandinavia* (Suppl.) 194:42.
- \_\_\_\_\_. 1976. Frequency and hereditary aspects of depression. In D. M. Gallant and G. M. Simpson, eds. *Depression*. New York: Spectrum Publications.
- Piaget, J. 1932. *The moral judgment of the child*. New York: Free Press.
- \_\_\_\_\_. 1951. *Play, dreams, and imitation in childhood*. New York: Norton.
- \_\_\_\_\_. 1952. *The origins of intelligence in children*. New York: International Universities Press.
- Politzer, H. 1966. *Franz Kafka: parable and paradox*, Second ed. Ithaca: Cornell University Press.
- Pollock, H. M., Malzberg, B., and Fuller, R. G. 1939. *Hereditary and environmental factors in the causation of manic-depressive psychosis and dementia praecox*. Utica, New York: State Hospital Press.
- Poznanski, E., and Zrull, J. P. 1970. Childhood depression: clinical characteristics of overtly depressed children. *Archives of General Psychiatry* 23:8-15.
- Poznanski, E. O., Krahenbuhl, V., and Zrull, P. 1976. Childhood depression: a longitudinal perspective. *Journal of the American Academy of Child Psychiatry* 15:491-501.
- Prange, A. J., Jr., Wilson, I. C., and Rabon, A. M. 1969. Enhancement of imipramine antidepressant activity by thyroid hormone. *American Journal of Psychiatry* 126:457.
- Prange, A. J., Jr., and Wilson, I. C. 1972. Thyrotropin Releasing Hormone (TRH) for the immediate relief of depression: a preliminary report. *Psychopharmacology* 26 (Suppl.).
- Prange, A. J. Jr. 1973. The use of drugs in depression: its theoretical and practical basis. *Psychiatric Annals* 3:56.
- Protheroe, C. 1969. Puerperal psychoses: a long-term study 1927-1961. *British Journal of Psychiatry* 115:9-30.

- Rado, S. 1956. (orig. 1927). The problem of melancholia. In Rado S. *Collected papers*, Vol. I. New York: Grune & Stratton.
- \_\_\_\_\_. 1951. Psychodynamics of depression from the etiologic point of view. *Psychosomatic Medicine* 13:51-55.
- Raskin, A. 1974. A guide for drug use in depressive disorders. *American Journal of Psychiatry* 131:181-185.
- Redmond, D. E., Mass, J. W., and King, A. 1971. Social behavior of monkeys selectively depleted of monoamines. *Science* 174:428-431.
- Rennie, T. A. L. 1942. Prognosis in manic-depressive psychosis. *American Journal of Psychiatry* 98:801.
- Rie, M. E. 1966. Depression in childhood: a survey of some pertinent contributions. *Journal of the American Academy of Child Psychiatry* 5:653-685.
- Riesman, D., Glazer, N., and Denney, R. 1950. *The lonely crowd*. New Haven: Yale University Press.
- Roehlin, G. 1959. The loss complex. *Journal of the American Psychoanalytic Association* 7:299-316.
- Rosenthal, S. II. 1968. The involuntional depressive syndrome. *American Journal of Psychiatry* (Suppl.) 124:21-35.
- \_\_\_\_\_. 1974. Involuntional depression. In S. Arieti, ed. *American handbook of psychiatry*, Second ed. Vol. III. New York: Basic Books. Pp. 694-709.
- Russell, B. 1967. *The autobiography of Bertrand Russell: the early years*. New York: Bantam.
- Sachar, E., Heilman, L., and Gallagher, T. F. 1972. Cortisol production in depression. In T. A. Williams, M. M. Katz, and J. A. Shield, Jr., eds. *Recent advances in the psychobiology of the depressive illnesses*. Department of Health, Education, and Welfare: Publication No. (HSM) 70-9053.
- Sapirstein, S. L., and Kaufman, M. R. 1966. The higher they climb, the lower they fall. *Journal of the*



*Canadian Psychiatric Association* 11:229-304.

Salzman, L., and Masserman, J. H. 1962. *Modern concepts of psychoanalysis*. New York: Philosophical Library.

Sandler, J., and Joffe, W. G. 1965. Notes on childhood depression. *International Journal of Psychoanalysis* 46:88-96.

Schilder, P., and Weschler, D. 1934. The attitudes of children toward death. *Journal of Genetic Psychology* 45:406-451.

Schildkraut, J. J. 1965. The catecholamine hypothesis of affective disorders: a review of supporting evidence. *American Journal of Psychiatry* 122:509-522.

\_\_\_\_\_. 1975. Depression and biogenic amines. In D. Hamburg and H. K. H. Brodie, eds. *American handbook of psychiatry*, Vol. 6. New York: Basic Books.

Schlegel, F. 1818. *Lectures on the history of literature, ancient and modern*. Edinburgh.

Schoenberg, B., Gerber, I., Wiener, A., Kutscher, A. H., Peretz, D., and Carrac, eds. 1975. *Bereavement: its psychological aspects*. New York: Columbia University Press.

Schopenhauer, A. 1961. *The world as will and idea*. Translated by R. B. Haldane and J. Keint. New York: AMS Press.

Segal, Hannah. 1964. *Introduction to the work of Melanie Klein*. London: Heinemann.

Seiden, R. H. 1969. *Suicide among youth*. *Bulletin of Suicidology*. (Suppl.).

Seligman, M. E. P. 1975. *Helplessness*. San Francisco: W. H. Freeman.

Seligman, M., and Maier, S. 1967. Failure to escape traumatic shock. *Journal of Experimental Psychology* 74:1-9.

Shaffer, D. 1974. Suicide in childhood and early adolescence. *Journal of Child Psychology and Psychiatry* 15:275-291.

- Shambaugh, B. 1961. A study of loss reactions in a seven-year-old. *Psychoanalytic Study of the Child* 16:510-522.
- Shimoda, M. 1961. Über den fraaruorbideu karakter des manish-depressiven irreseius. *Psychiatria et Neurologia Japonica* 45:101.
- Silverberg, W. 1952. *Childhood experience and personal destiny*. New York: Springer.
- Slipp, S. 1976. An intrapsychic-interpersonal theory of depression. *Journal of the American Academy of Psychoanalysis* 4:389-410.
- Smith, A., Troganza, E., and Harrison, G. 1969. Studies on the effectiveness of antidepressant drugs. *Psychopharmacology Bulletin* (Special issue).
- Smythies, J. 1973. Psychiatry and neurosciences. *Psychological Medicine* 3:267-269.
- Sperling, M. 1959. Equivalentents of depression in children. *Journal of Hillside Hospital* 8:138-148.
- Spiegel, R. 1959. Specific problems of communication in psychiatric conditions. In S. Arieti, ed. *American handbook of psychiatry*, First ed. Vol. I. New York: Basic Books. Pp. 909-949.
- \_\_\_\_\_. 1960. Communication in the psychoanalysis of depression. In J. Massemian, ed. *Psychoanalysis and human values*. New York: Grune & Stratton.
- \_\_\_\_\_. 1965. Communication with depressive patients. *Contemporary Psychoanalysis* 2:30-35.
- Spitz, R. 1946. Anaclitic depression. *Psychoanalytic Study of the Child* 5:113-117.
- Strecker, E. A., and Ebaugh, F. 1926. Psychoses occurring during the puerperium. *Archives of Neurology and Psychiatry* 15:239.
- Strongin, E. I., and Hinsie, L. E. 1938. Parotid gland secretions in manic-depressive patients. *American Journal of Psychiatry* 96:14-59.
- Sullivan, H. S. 1940. *Conceptions of modern psychiatry*. New York: Norton.

- \_\_\_\_\_. 1953. *The interpersonal theory of psychiatry*. New York: Norton.
- Szalita, A. B. 1966. Psychodynamics of disorders of the involuntional age. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. III. New York: Basic Books. Pp. 66-87.
- \_\_\_\_\_. 1974. Grief and bereavement. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. I. Pp. 673-684.
- Taulbee, E. S., and Wright, II. W. 1971. A psychosocial-behavioral model for therapeutic intervention. In C. D. Spielberger, ed. *Current topics in clinical and community psychology*, Vol. 3. New York: Academic Press.
- Tellenbach, II. 1974. *Melancholic problemgeschichte-endogenitat-typologie-putho- genese-klinik*. Berlin: Springer-Verlag.
- Thomas, A., Chess, S., and Birch, H. G. 1968. *Temperament and behavior disorders in children*. New York: New York University Press.
- Thompson, C. M. 1930. Analytic observations during the course of a manic-depressive psychosis. *Psychoanalytic Review* 17:240.
- Thompson, R. j., and Schindler, F. H. 1976. Embryonic mania. *Child Psychiatry and Human Development* 7:149-154.
- Titley, W. B. 1936. Prepsychotic personality of involuntional melancholia. *Archives of Neurology and Psychiatry* 36:19-33.
- Toolan, J. M. 1962. Depression in children and adolescents. *American Journal of Orthopsychiatry* 32:404-15.
- Tupin, J. P. 1972. Effect of lithium and sodium and body weight in manic-depressives and normals. In T. A. Williams, M. M. Katz, and J. A. Shield, Jr., eds. *Recent advances in the psychobiology of the depressive illnesses*. Department of Health, Education, and Welfare: Publication No. (HSM) 70-9053.
- Veith, Ilza. 1970. Elizabethans on melancholia. *Journal of the American Medical Association*

212:127.

- Wainwright, W. H. 1966. Fatherhood as a precipitant of mental illness. *American Journal of Psychiatry* 123:40-44.
- Warneke, L. 1975. A case of manic-depressive illness in childhood. *Canadian Psychiatric Association Journal* 20:195-200.
- Weinberg, W. A., Rutman, J., and Sullivan, L. 1973. Depression in children referred to an educational diagnostic center: diagnosis and treatment. *Journal of Pediatrics* 83:1065-1072.
- Weiner, I. B. 1970. *Psychological disturbance in adolescence*. New York: Wiley.
- Weiss, J. M. A. 1957. The gamble with death in attempted suicide. *Psychiatry* 20:17.
- \_\_\_\_\_. 1974. Suicide. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. III. Pp. 763-765.
- Weissman, M. M., and Klerman, L. 1977. Sex differences and the epidemiology of depression. *Archives of General Psychiatry* 34:98-111.
- Weissman, M. M., Klerman, G. L., Payhel, E. S., et al. 1974. Treatment effects on the social adjustment of depressed patients. *Archives of General Psychiatry* 30:771-778.
- Weissman, M. M., Prusoff, B. A., and Klerman, G. 1975. Drugs and psychotherapy in depression revisited. *Psychopharmacology Bulletin* 11:39-41.
- Werner, H. 1948. *The comparative psychology of mental development*. New York: International Universities Press.
- Whittier, J. R. 1975. Mental disorders with Huntington's chorea. Clinical aspects. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. IV. New York: Basic Books. Pp. 412-417.
- Wilson, E. 1962. A dissenting opinion on Kafka. In D. Gray, ed. *Kafka*. Englewood Cliffs: Prentice-

Hall.

Winnicott, D. W. 1953. Transitional objects and transitional phenomena. *International Journal of Psycho-Analysis* 34.

Winokur, G. 1973. Depression in the menopause. *American Journal of Psychiatry* 130: 92-93.

Winokur, G., Cadoret, R., Dorzab, J., and Baker, M. 1971. Depressive disease. A genetic study. *Archives of General Psychiatry* 25:135-144.

Wolfgang, M. E. 1959. Suicide by means of victim-precipitated homicide: *Journal of Clinical and Experimental Psychology* 20:335-349.

Wolman, B. B. 1973. *Dictionary of behavioral science*. New York: Van Nostrand.

Woodworth, B. S. 1940. *Psychology*. New York: Holt.

Zetzel, E. R. 1965. Depression and its incapacity to bear it. In M. Schur, ed. *Drives, affects, behavior*. Vol. 2. New York: International Universities Press.

Zilboorg, G. 1928. Malignant psychoses related to childbirth. *American Journal of Obstetrics and Gynecology* 15:145-158.

\_\_\_\_\_. 1929. The dynamics of schizophrenic reactions related to pregnancy and childbirth. *American Journal of Psychiatry* 8:733-767.

\_\_\_\_\_. 1931. Depressive reactions related to parenthood. *American Journal of Psychiatry* 87:927-962.

\_\_\_\_\_. 1941. *A history of medical psychology*. New York: Norton.

\_\_\_\_\_. 1944. Manic-depressive psychoses. In S. Lorand, cd. *Psychoanalysis today*. New York: International Universities Press.