



PSYCHODYNAMICS OF SEVERE DEPRESSION

SILVANO ARIETI, M.D.

Severe and Mild Depression

**PSYCHODYNAMICS OF SEVERE
DEPRESSION**

SILVANO ARIETI, M.D.

e-Book 2015 International Psychotherapy Institute

From *Severe and Mild Depression* by Silvano Arieti & Jules Bemporad

Copyright © 1978 Silvano Arieti & Jules Bemporad

All Rights Reserved

Created in the United States of America

www.freepsychotherapybooks.org
ebooks@theipi.org

at this point he is what I have called the *dominant other* (Arieti, 1962). The relation between the patient and the dominant other is not just one of submission on the part of the patient and domination on the part of the other. With this attitude are feelings of affection, attachment, love, friendship, respect, and dependency, so that the relationship is a very complicated one. The dominant other is experienced by the patient not only as a person who demands a great deal, but also as a person who gives a great deal. And as a matter of fact, he either does give a great deal or is put by the patient into a giving role. The patient can no longer accept himself unless the dominant other accepts him, and he is unable to praise himself unless the dominant other praises him or is interpreted by the patient as praising him. As Bemporad wrote (1970), the patient is incapable of autonomous gratification. The fundamental characteristics in the relationship are the inequality in the two roles and the fact that the patient is so anchored to the dominant other that he cannot establish a deep or complete relation to any other person. Although this state of affairs was tolerable when the significant other was the mother and the patient was the child, it is no longer so and becomes maladaptive. The same construct that was applied to the childhood situation is used, and in some respects it has become more inflexible than it was then.

The dominant other provides the patient with the evidence, either real or illusory—or at least the hope—that acceptance, love, respect, and recognition of his human worth and meaning of his life are acknowledged by

at least one other person. The dominant other is represented most often by the spouse. In the predominantly patriarchal structure of our society the dominant other is often the male and the submissive partner is the female. We shall return to this aspect of the problem in greater detail later.

Far less often in the role of the dominant other are, in order of frequency, the mother, a person to whom the patient was romantically attached, an adult child, a sister, the father. The dominant other also frequently is represented, through anthropopathy, by the firm where the patient works or a social institution to which he belongs such as the church, a political party, the army, a club, and so forth. All these dominant others are symbolic of the depriving mother, or to be more accurate, of the once-giving and later depriving mother. If the real mother is still living and is the dominant other, she acts in two ways; her role is actual in the present and also symbolic of her old role. If the dominant other dies, he becomes even more powerful through the meanings attached to his death.

The second type of predepressed person, who is characterized by the pursuit of a significant goal, gradually becomes haunted by a dominant goal. The dominant goal is omnipresent, always lurking about; it determines most actions of the patient and excludes many others. The goal as a rule is grandiose, like winning the Nobel prize or becoming the chief of the firm, and the actions of the patient can be interpreted as being motivated by the

attempt to attain what his grandiose self-image demands. However, I do not believe that the dominant goal is exactly the same as the grandiose image described by Karen Homey (1945). Again, perhaps it is a variety of her concept, the variety which occurs in people prone to develop a severe depression.

The dominant goal is conscious, although the patient is not aware of the magnitude of its role and all its ramifications. The dominant goal seems more plausible and more realistic than Horney's idealized image: some people do reach their dominant goal. The patient certainly works hard and does his best to reach it. Although he is a daydreamer, his investment in achievement is used not only in daydreaming, but in acting as efficiently as he can. He does not postpone. The attainment of the dominant goal seems to be motivated by a thirst for glory. In most cases, however, it is more than that; it is a search for love. Unconsciously the patient feels that he will be worthy of love from others or from himself only if he succeeds in achieving the dominant goal. Often at a conscious level too, the search for the dominant goal coincides with the search for a perfect love.

Not so subtle as in the other types of predepressed personality is a relationship of dependency in which the mechanism of obviously leaning on mother and maternal substitutes has been adopted after the initial trauma in childhood. Contrary to the types previously described, this third type includes

people who even at a superficial examination appear maladjusted. These patients have never forgotten the bliss of their first year of life and still expect or demand a continuation of it. They demand and expect gratification from others, and feel deprived and sad when they do not get what they expect. They are demanding but not aggressive in the usual sense of the word, because they do not try to get what they want through their own efforts: they expect it from others. They have not developed that complex of duty and hard work typical of the complying, introjecting patient.

These patients alternate between feeling guilty and having the desire to make other people feel guilty. They generally find one person on whom to depend, and they make this other person feel guilty if he does not do what they want. The sustaining person (generally the spouse) is empowered with the capacity to make the patient happy or unhappy and is supposed to be responsible for the patient's despair and helplessness. He also plays a dominant role in the life of the patient, but only because the patient expects a great deal from him, not because he makes demands on the patient. Relatively often in this group we find women who depend entirely on their husbands, who are generally much older. In these cases the dominant other is not only the person who is supposed to accept, love, respect the patient, but also the person who protects and gives material things. At times the request is immense: the patient almost seems to request, metaphorically, milk or blood.

In some cases there is an apparent variation in the picture when the patient tries desperately to submerge himself in work and activities, hoping that eventually he will find something to do which will make him worthy of recognition from other people. Whereas the first two types of predepressed persons looked inward for a solution to their conflicts, the third type looks externally for the solution.

A fourth type is observed in some patients who develop manic-depressive psychosis. It is manifested either as the prevailing type of personality or as a temporary characterological structure which from time to time replaces one of the three pictures previously described. This fourth type, the forerunner of the manic, is lively, active, hearty, and friendly. On closer scrutiny the person's apparent health and liveliness are found to be superficial. In a certain way the patient actually escapes into actions or reality, but he remains shallow and dissatisfied. If he happens to be engaged in work in which action is required rather than concentration, he may do well and maintain a satisfactory level of adjustment; otherwise he may sooner or later get into trouble. He claims that he has many friends and the interpersonal relations seem warm and sincere, but they are superficial and lack real kinship. One patient said, "I joke, I laugh, I pretend; I appear radiant and alive, but deep down I am lonely and empty." This type of person is only in certain respects the opposite of the duty-bound individual. He tries to escape from his inner-directedness, but he does not correspond to what

Riesman called the “other directed” person. Imitating Riesman’s terminology, we could call this hypomaniclike person outer-directed but not other-directed. He does not escape into others; he escapes from his inner self, because the inner self has incorporated the burdening others. He escapes into the world of superficial reality where meditations, reflections, or deep emotions are unnecessary. His main attitude can be interpreted as a great denial of everything which, if admitted, could lead to depression.

Such an individual may at times seem so free as to be considered psychopathic. Actually, it is his deep concern with conventional morality that often leads to this pseudopsychopathic escape. Some of the pseudo-psychopathic hypomanics have demonstrated asocial behavior since childhood when, for example, in order to escape from inner and external restrictions, they ran away from home or school.

These affective, prepsychotic personality types are seldom seen in pure culture. When the patient changes or alternates from one of the first three types of personality to the fourth, he presents the so-called cyclothymic personality.

The Development of the Severe Attack

The types of personality described in the previous section lead not to a stable equilibrium, but to an almost constant state of dissatisfaction and

sadness (or, in some cases, hypomanic denial of sadness). If we closely examine the period of time that precedes the depression—and this period may vary from a few days or months to decades—we see a crescendo of maladjustment which is contained only by the defenses that have been described. In this unstable background, obvious and realistic factors often bring about a full-fledged attack of severe depression. These specific precipitating factors are distinct events in the life of the patient, and are not necessary in any absolute sense. However, since they occur in the most typical cases and clarify the psychodynamics of severe depression in general, I shall discuss their occurrence and import. Later we will examine the cases in which precipitating factors cannot be individuated.

The main precipitating situations may be classified into three categories: (1) the patient's realization that his relationship with the dominant other has failed; (2) the death of the dominant other; and (3) the patient's realization of having failed in his attempt to reach a dominant goal, and his subsequent negative reevaluation of the self-image.

These situations are considered separately for didactic reasons, but they have a single and common basis: the loss of something very valuable. This "something," even if represented by a concrete situation, transcends the reality of the concrete situation. At times the loss has not yet occurred, but the knowledge that it is impending seems so certain to the patient that he

experiences depression instead of anxiety. The precipitating event causes a great deal of anguish or psychological pain, which is felt very intensely for these reasons:

1. The patient's cognitive appraisal of the event leads him to realize that it will cause a disorganization of his life structure and self-image.
2. His main cognitive construct and pattern of living will no longer enable him to cope with the situation. This realization reevokes what can be pictured as a distant but resounding echo of the pain sustained early in life, when the patient felt he had lost the love of his mother or the mother substitute. The present loss has the same value as the loss of the mother's love.
3. The patient realizes that all the methods which he used to prevent the catastrophe have failed.
4. He also believes that the methods he used were the only ones he could use or knew how to use. Thus he finds himself in a situation of helplessness. He cannot put into practice the methods used by the normal person recovering from normal sadness. For the patient, using alternative courses is an impossibility. Thus he cannot do sorrow work.
5. Instead, his sadness becomes depression, which continues to increase in intensity.

The development of these psychological events will be described in greater detail in the following sections.

Depression Following Deterioration Of The Main Interpersonal Relation

The situation in which the patient realizes the failure of his main interpersonal relation (the relation with the dominant other) is in my opinion the most typical of those which lead to severe depression. Thus it will be described in detail, the other situations, which will be examined later in this chapter, will be described only or predominantly in those aspects which differ from the situation we are now examining. Depression following deterioration of the main interpersonal relation occurs much more often in women, so I shall refer to the patient in the feminine gender. It is to be understood that the same situation takes place in a considerable number of male patients.

Events that have drastically affected the life of the patient may have occurred recently. The husband may have asked for a divorce, or may have been discovered as having an extramarital affair. Often, however, a few disparate happenings, certain decisions which have been made, or a review of one's life have induced the patient to reexamine her marital situation. At times the effect of the precipitating event was unforeseeable: reading a book, or seeing a play or a movie which revealed itself full of psychological significance for the patient. The marital partner— whom the patient

considered a protector, a pillar on whom she depended entirely, a distributor of love, sex, affect, approval, food, and money—is now seen as an authoritarian person who imposes his rule at times in a subtle, hardly recognizable fashion, at other times in an obvious way. The patient’s life, believed to be devoted to affection, family care, doing hard work, or the nourishment and reaffirmation of love, is now seen as a nongenuine life. The patient has denied many aspects of living because she wanted peace and approval at any cost. She has been excessively compliant, submissive, and accommodating. By always doing what the husband wanted and by denying her wishes, she has not been true to herself; as a matter of fact, she has betrayed herself. In some cases the patient may exaggerate and see the authoritarian husband as a tyrant, somebody who deserves not love but hate, somebody who wants to enslave her and change her real nature. In most cases she does not realize that she also has played a role in establishing this type of interpersonal relation. She has done so with her submissiveness and ingratiating attitude, by accepting the patriarchal model of society, or by making the dominant other believe that she was perfectly contented or even happy with this state of living. She has indeed submitted herself, bent her head, and allowed herself to be transformed against her real wishes. There is nothing wrong, of course, in adopting the husband’s ways of living if the wife really wishes to do so or because she genuinely believes they are better or more adequate than her own. But if she accepts them only to placate the

spouse, and if she deceives herself into thinking that she likes these changes in her way of living when she really does not, she injures herself.

The new evaluation of her husband—the kind of dominating person he really is—is not easily accepted. A normal person would accept the new appraisal, no matter how painful it was, and try to do her best with what remained of her life (separation, divorce, other affections.) But the patient cannot. She cannot bring herself to conclude that she has wasted her life. She still needs the same dominant other to praise her, approve of her, and make her feel worthwhile. How could he continue to play that role if she expressed hate, rebellion, or in some cases even self-assertion?

Thus the patient finds herself in a situation in which she cannot change her cognitive structures. She has reached a critical point at which a realignment of psychodynamic forces and a new pattern of interpersonal relationships are due, but she is not able to implement them; and this is her predicament. Often she denies her negative appraisal of the dominant other and of her life—that is, she represses her ideas—but the feeling of sadness remains conscious and is intensely experienced. Inasmuch as she cannot organize alternative structures, such as new plans for her life and new ways of evaluating herself as a person, she feels helpless. She cannot do what normal people resort to in order to solve their sorrow.

The anguish is experienced and retained, and as a rule becomes more and more pronounced. The sorrow is replaced by an overpowering wave of depression which submerges every idea. A few very painful thoughts remain. Eventually almost all ideas become unconscious and the patient is only aware of an overpowering feeling of depression. The slowing down of thought processes is also responsible for the decrease in mobility that the patient shows at this point. Movements and actions, in order to be implemented, must be preceded by ideomotor activity which is now greatly decreased. The slowing down of thought processes is, however, a self-defeating mechanism. At this point, constellations of thought continue to activate the depression even if they are unconscious. If we ask the patient why she is depressed, often she does not know.

At times a few thoughts remain as conscious, cognitive islands in the ocean of the depressive feeling. The patient may feel very guilty. The guilt is caused by emerging thoughts that offer a new evaluation of the dominant other. The patient feels guilty for seeing him in so bad a light when she used to see him as a saint to be revered and respected. In her depressed condition, she is generally not able to trace the guilt feeling; she just feels guilty and may give absurd explanations for her guilt. She has done "terrible things," and so forth. In many instances hate for the husband is not repressed to such a degree that the patient cannot feel guilty about it. On the other hand, if she were able to deal with this hate at a fully conscious level, she would be able to

change the situation less inadequately. As a matter of fact, she could even realize in certain cases that her hate was too strong a feeling, and not congruous with the circumstances. But she cannot face what she believes would undermine the foundation of her life and prove the futility of all her past efforts. Thus she represses her hate and she continues to follow a pattern of silent submission. Even when she was not so sick, she did not reveal or admit to her friends the hostile feelings for her husband.

The guilt feeling to which we have referred often assumes such a predominant role as to confer to the symptomatology the picture of self-blaming depression, the manifest aspect of which was described in chapter 3. Special characteristics of the environment either facilitate or make less probable the occurrence of guilt feelings, as will be described in chapter 16. The self-blaming picture is much less frequent now than it was until the middle 1940s. Nevertheless, even at present this picture is observed quite frequently.

The guilt feelings continue in these patients a trend started in childhood, that no matter how much the patient does to remedy the situation, it is not enough. Later she feel that it is her fault that the relationship with the dominant other has not worked out. Finally, she feels guilty, as has been described, for feeling in such a negative way toward her husband. When the patient reaches the state of severe despair and blames herself, suicidal ideas

occur with progressive frequency.

The number of suicidal patients is greater in men. Thus I shall refer again to the patient in the male gender.

The patient who blames himself seems to send a message: "I do not deserve any pity, any help. I deserve to die. I should do to myself what you should do to me, but you are too good to do it."

As the suicidal ideas recur, the patient may make a suicidal attempt which in a considerable percentage of cases is successful.

At this point we must try to understand the significance of the suicidal attempt. Several hypotheses have been advanced.

- I. The patient wants to punish himself.
- II. He wants relief from suffering or an end to a worthless life.
- III. He wants to kill symbolically the dominant other.
- IV. The suicide has no meaning. It is just an indication of the worsening of the biochemical alteration which brought about the depression.

In accordance with the general character of this book, we shall consider only 1, 2, and 3. The first two possibilities are self-contradictory or self-

exclusive until seen from the standpoint of the emotional state of the patient. The feeling that it is better to die than to suffer so much is certainly experienced. The patient would not carry out the suicidal ideas, however, if they were not reinforced or sustained by the other idea that he deserves to die and he must inflict the supreme punishment on himself. In some cases it is possible to retrace in the patient who has attempted suicide the notion that he was making a desperate effort to redeem himself by punishing himself. Probably in a subconscious, nonverbalized way the patient feels, "Punish yourself and you will be accepted again. You are acceptable but not accepted. Forgiveness is eventually available. The intermittent love will be given again." Of course, if the patient is dead he cannot receive love, but this is a realistic consideration which he cannot conceive of at the present time. Or perhaps he believes that he will be forgiven and loved in the memory of the survivors. Thus two or more logically self-contradictory motivations coexist and reinforce one another.

The orthodox Freudian interpretation holds that suicide represents the attempt to kill the detested person who has been incorporated—in the terminology used here, the dominant other.

As I mentioned in a previous section, the individual who is prone to this type of psychotic depression has totally accepted the Thou since his early infancy. At times he lets the Thou suffocate or smother the I. In this light, the

suicidal attempt is the culmination of the process; it is the Thou who finally kills the I, not the I who kills the Thou. If the I killed the Thou, there would be a complete and sudden reversal of the previous and constant trend of self-denial. Rado (1951) ingeniously tried to solve the problem by assuming that the superego (the Thou) is divided into two parts, one which the patient wants to love and another which he wants to kill. However, I am convinced that, at least in my clinical experience, the patient really wanted to kill himself. But by killing himself he would achieve a complete acceptance or introjection of a distorted image of the Thou.

There are several other factors that support this point of view. First, many cases of suicide seem to occur not when the state of melancholia is at its peak but at an early stage of remission, when the worst is over. This characteristic may of course be interpreted in various ways. The first explanation is simple and mechanical: when the patient is very depressed, he is in or almost in a stupor; he cannot act, he is extremely slow or immobile, he cannot move or think coordinately, and therefore he cannot carry out his intentions. When he becomes less retarded and more capable of coordinating his thoughts, he goes ahead with his destructive intention. The alternative possibility is that the patient who has gone through terrible experiences at the acme of his depression is afraid that these experiences may recur and, rather than face them again, he prefers to die. (This of course corresponds to the first possibility mentioned.)

Another interpretation is possible: the patient who has a great deal of guilt feels that even the most severe depth of depression has not been enough; it has not succeeded in relieving him entirely of his guilt, and only by killing himself will he entirely redeem himself.

This last interpretation is supported by other factors. Significantly, there is almost complete relief after the suicide attempt. The Freudian interpretation would lead one to expect an increase in guilt feeling (for having attempted but not actually succeeded in killing the superego) and a consequent increase in depression. As Weiss (1957, 1974) and others have emphasized, in the attempt itself—that is, in gambling with death—the patient feels that he has been punished adequately. He has done what the Thou wanted and now he can live peacefully. Often there is no need for the suicide attempt; after having gone through the acme of his depression, the patient feels suddenly relieved, and a marked improvement occurs.

According to Kolb (1959), “The suicidal maneuver is often determined by family-indicated permission for acting out.” In his clinical experience, the psychodynamic explanation of acting out which has been given for other antisocial acts is also valid for suicide: in families where suicide has occurred, the likelihood of suicide for the manic-depressive patient is much higher than otherwise. Where suicide has not occurred, one usually finds threats of suicide or intimidating actions suggesting suicide on the part of the parents.

Through many years of practice I have found, however, an increasing number of patients who did not feel guilty and yet had decided to put an end to their “worthless” lives. In several cases there was a confusion about whether the patient considered life, at least his own, or himself to be worthless. The only certainty was the horrible mental pain which had to be terminated at any cost.

The relief experienced by the patient after an acute attack of depression is remarkable. The patient feels guilt-free and accepted, and wants to settle down in his own life. Even reality seems pleasant, and he does not want to be alone; he wants to be close to the mate. This attempt, however, will not work out unless successful therapy intervenes. The patient who improves after the nadir of depression, whether or not this nadir led to a suicidal attempt, eventually will feel depressed again. The relatively free interval may last a few hours, days, weeks, months, or longer.

The improvement or depression-free interval is susceptible to several hypothetical interpretations. One is that the patient feels he has expiated his guilt. However, another one seems to me more plausible and consonant with what several patients in psychotherapy have told me. An idea presents itself which somehow succeeds in cutting the main line of depressogenic cognition and flashing a lesser, more hopeful, but secondary cognitive structure. This lesser structure may have always existed or, more seldom, have been

provided by an unexpected external event. The secondary cognitive structure in some cases may be organized and increased to the point of offering considerable relief. In many cases, however, the predominant depressogenic structure tends to acquire the upper hand and the patient becomes depressed again.

In some untreated cases the depression may become chronic and severe; in others it remains chronic but less severe; and finally, it may alternate between being severe and mild. At the present stage of knowledge we cannot be absolutely sure why some untreated cases of severe depression become intermittent, improve, or even recover. For some unpredictable reasons they eventually become capable of escaping from the rigid cognitive construct and finding alternative patterns.

Some patients, especially those who could be classified as suffering from manic-depressive psychosis, are able to change the depression into a manic, hypomanic, or mini-manic attack.

In the manic attack the Thou is not eliminated or projected to the external world; it is only disregarded. The patient must continue to force himself into a distracted and frenzied mood which shuts out not only introspection, but any well-organized thinking. In the manic state there is no elimination of the Freudian superego, as perhaps there is in some

psychopaths. The superego is very much present, and the manic frenzy is a method of dealing with it.

But neither the depression nor the manic attack actually bring about a solution to the deeply rooted conflicts. Even after having paid the penalty of the severe attack, many patients (but not all) will have a more or less free interval and then tend to be affected again by the same difficulty, which will be channeled into the same pattern—with the cycle likely to repeat itself. Moreover we must realize that this type of depression, as well as all the others that shall be discussed in this book, becomes the fundamental and habitual mode of living. As we shall discuss later, the patient selects depressive thoughts (Beck's depressive triad) to sustain the familiar mood. Little disappointments, losses, or accidental happenings that lead the patient to self-accusation, guilt, or severe depression are actually symbolic of an earlier and greater disappointment, or of lifelong disappointment. Kraepelin (1921), to show the relative unimportance of psychogenic factors, reported a woman who had three attacks of depression: the first after the death of her husband, the second after the death of her dog, and the third after the death of her dove. From what has been discussed so far, it is apparent that each of these deaths was not necessarily traumatic per se. One may guess that the death of the dove reactivated the sorrow the patient had experienced at the previous deaths, and it was also symbolic of a much greater loss, perhaps of the meaning or purpose in her life.

So far I have interpreted psychodynamically attacks of severe depression caused by the realization of the failure of an important interpersonal relation, as in the case of a patient who follows a pattern of submission and placation in her relation with a dominant other. The patient who instead follows a pattern of dependency and eventually develops a symptomatology of the claiming type, at a certain point in her life realizes that she no longer can depend on this interpersonal relationship. Without being aware of it, to a considerable extent she still is claiming the lost paradise or the bliss of the early life when she was completely dependent on the duty-bound mother or mother substitute. As the patient makes herself dependent on the dominant other and becomes more demanding, she feels more deprived. Any unfulfilled demand is experienced as a wound, a serious deprivation, an insult, or an irreparable loss, and it brings about an unpleasant feeling of sadness which cannot be solved and is followed by depression.

The new way of experiencing the relationship with the dominant other is based on the fact that the affect or love which reassured her and in whose name she expected a great deal is now recognized as uncertain, insincere, unreliable, about to finish, or finished already. She too does not love the husband anymore, and therefore she feels she cannot expect much from him. The sad reality, however, is that she depends on him psychologically, economically, and socially, and she cannot do without him. Like the previous

type of patient that I described, she finds herself in a trap from which she cannot escape. She becomes more and more depressed and suicidal. In these cases the suicide attempt seems to convey the message, "Do not abandon me. You have the power to prevent my death. You will feel guilty if you don't give me what I need and let me die." However, there is a feeling of hopelessness, the feeling that the dominant other will not listen to this appeal and will let her down. For a certain number of patients in this category the dominant other is not the spouse, but one or both parents. Many patients have always remained dependent on their parents. Although they would like to be free of them to go on their own, be self-supporting, and get married, they cannot. They are caught again in a vicious cycle from which they cannot escape (dependency and resentment or hate for the persons on whom they depend). Perhaps more than any other patients, they represent those described by Abraham who, as a consequence of early love deprivation, remain fixated at oral erotism and maintain a general dependency on people.

Depression Following Death, Loss, Or Disappearance Of The Dominant Other

In these cases depression occurs when the dominant other is no longer available. The most common cause is death. Cases involving divorce will not be considered here because the separation was caused by a failure of the interpersonal relation, and these cases are therefore included in the previously described category. However, some cases in which one spouse

suddenly abandons the other, gives ultimatums, or unexpectedly declares his intention to dissolve the marriage may represent a mixture of the two categories.

Less common precipitating factors of severe depression are loss of friendship, companionship, affection, or approval because a person close to the patient moved away or got married and had to exclude the patient or relegate him to a minor role.

Contrary to the typical cases in the first category, the patient at a conscious level does not feel abandoned by the dominant other on account of failure in the relationship; rather, it is because of circumstances beyond his control such as death or moving to a distant location for reasons of work. Whether the patient considers these causes legitimate is debatable: in most cases there is no doubt that at least unconsciously the patient considers the dominant other responsible for leaving, even if he left because he died. He should not have allowed himself to die. There is also no doubt that some patients feel, even at a conscious level, responsible for the disappearance or death of the dominant other. If they had treated him better, he would not have died. Instead the bad behavior of the patient has made the dominant other unhappy and sick or more likely to die. Thus the patient has “killed” him or her.

In other cases the patient feels guilty because in moments of reemerging resentment he recognizes that he wished the death of the lost person. The wish has now become reality: to the wish is attributed the primitive power of engendering reality. The patient accuses himself of having entertained the murderous desire.

All these interpretations connected with guilt are derivatives of Freud's concept that guilt and self-depreciation are diverted anger which was directed originally toward the love object (our dominant other). As I have already mentioned, however, guilt does not seem to play such an important role as it did once. Perhaps it will reacquire importance in the future.

Bemporad (1970) has advanced another explanation. The patient, who was totally dependent on the dominant other for self-esteem, acceptance, approval, and appreciation, realizes that he cannot depend on him any more. And yet he is incapable of "autonomous gratification," of supplying what he needs to himself. He becomes sad and then depressed because of being deprived of this gratification. In other words, the depression is the result of deprivation (emotional and cognitive). Bemporad's interpretation is valid in some cases of severe depression, as well, but with support from other factors that complicate the picture. First, I must stress that for the reasons illustrated earlier in this chapter, the patient is incapable of finding cognitive-affective alternatives to what was provided by the former dominant other. Second, the

patient does not want to believe that the dominant other could be substituted. He rejects the possibility because to admit it would be tantamount to conceding that the dominant other was not indispensable in the first place. This conclusion, if accepted, would require a reassessment of the patient's whole life and might induce a state of panic that the patient cannot even contemplate. Thus he is still motivated to think that the dominant other was indispensable and irreplaceable. Whenever reality indicates the opposite—that life can be worthwhile even without the dominant other—such possibility is assessed in a distorted way, appears threatening, and may bring about further depression.

Depression Following Realization Of Failing To Reach The Dominant Goal

This type of depression occurs among men more frequently than depressions which follow other patterns, but in terms of absolute incidence this depression too is more frequent among women. The goal most frequently experienced by women as not achieved or not-to-be-achieved is romantic love. Being unloved for them means being unlovable. Thus what is disturbing is not only the lack of the joy of love, but the injury to the self-image. However, the cultural and social changes which are rapidly taking place in the status of women have already diminished the frequency of unachieved love as the precipitating factor of severe depression. To be exact, love does remain an important precipitating factor when it is lost, as described in the previous

category. It is less frequently the precipitating factor of severe depression in the role of a dominant goal which has not been achieved.

In men the dominant goal which most frequently precipitates a severe depression, because it is experienced as not achieved or not to be achieved, has to do with work and career. Here too, the most traumatic part of this realization is in what it does to the self-image. Certainly the patient is very interested in his career and work, but the depressive elements are his cognitive ramifications—mostly unconscious or only dimly conscious—that associate work and career with what he and others think of him, and with his being a worthwhile person and deserving love. Now he has come to the realization that he is not going to be a great lawyer, doctor, politician, actor, writer, lover, industrialist, inventor, musician, and so forth. He cannot go into another field or give up his ambition because his whole life has been centered on the achievement of this particular goal. Nothing else counts: after this dramatic realization, life seems worthless to him; as a matter of fact, it seems painful and hard to endure.

If he wanted to be a great conductor—a Toscanini—now he has to face the fact that he is not a Toscanini; he is himself, John Doe. But he has no respect for John Doe, and he believes John Doe is nothing. There is some justification in the patient's assessment of himself in this negative way because he spent so much of his thoughts and daydreams in being a

Toscanini, and his psychological life without this overpowering fantasy seems empty. Thus we must realize that the depression is not only a mourning of a fantasy; it is the mourning of a large part of one's life spent at the service of a fantasy. This explains why the depression can reach such depth and be so persistent.

This sequence of thought processes and accompanying negative feelings is made possible by the limitations of the patient, by his inability to find solutions. At times the patient may visualize alternatives, but they seem to him either unsurmountable or not worthwhile. The inability to shift to different ways of living is not due to congenital defect or to lack of intelligence, but is only the result of a life history characterized by rigid adherence to those life patterns that were described earlier in this chapter. This inability of which the patient is often unconscious can be overcome totally or to a large extent by proper psychotherapy.

In some cases the psychodynamic picture is more complicated. The patient feels that he has not been true to himself, or he has not run after the goal in the right way. For instance, he wanted to be a great conductor like Toscanini, but instead he pursued business, money, women, and so on. Now he finds himself trapped: his sadness has become a severe depression from which he does not know how to rescue himself.

Special Cases And Conclusions

Cases that do not fit exactly into the previously mentioned categories but which partake of some of their characteristics are very frequent. I shall mention the most common combinations. The depression may occur after the patient has been dismissed from an institution, organization, or company to which he devoted the prime of his life. This disappointment is often experienced as due to the loss of employment. As a matter of fact, Malzberg (1940) found that during the economic depression of 1929 to 1937 the effect of loss of employment or financial loss was statistically evident in manic-depressive patients. In 1933, for instance, 26.2 percent of first admission patients in New York state hospitals who were diagnosed as manic-depressive presented loss of employment or financial loss as the precipitating factor, whereas in the same year only 9.6 percent of first admission patients with the diagnosis of dementia praecox (schizophrenia) presented financial loss as a precipitating factor.

In some cases, not dismissal but failure to obtain a promotion is the precipitating factor. In these cases the trauma is sustained partially as a loss of a nonpersonal dominant other, and partially as failure to reach or retain the dominant goal. The source of gratification is lost as well as a gratifying self-image that the patient could maintain only through his association with that particular organization.

Depression, often leading to suicide, occurs quite frequently in unmarried men after retirement. They feel suddenly deprived of their only aspect of gratification. In women, depressions occur frequently, but not as frequently as they used to, during or about the time of the menopause, as we shall see in greater detail in chapter 12.

Depressions occur relatively frequently in twins, especially female identical twins. Although my statistics are very limited, I can say that I have found nothing specific in these cases except the psychological picture derived from being a twin. Generally one of the twins assumes the role of the dominant other and the other takes on the submissive or dependent role. The dominant other plays the role of leader, teacher, and mentor; the submissive twin plays the role of the follower, pupil, and child. In these cases the parents have played a secondary role because of their advanced age, detachment, illness, or geographical distance; and they have always remained pale figures, thus permitting one twin to acquire a parental or dominant role. When the dominant twin withdraws his support, or gets married, or separates from the submissive twin, the latter undergoes a severe trauma, experiences a feeling of helplessness, and often becomes depressed.

Less typical but more frequent, especially among females, are cases in which two siblings, not twins but close in age, live in the same dyad of dominant-dominated. In these cases the parents also have played a parental

role which has been less effective than usual and which has been assumed in quite an inappropriate manner by the dominant sibling. The submissive sibling tends to become depressed whenever there is a disruption in his relation with the dominant sibling or whenever he has to revise the image of the sibling which he has incorporated.

In some patients an attack apparently is precipitated not by a loss, but by what may even seem a pleasant event. For instance, women in their forties or fifties who may have undergone previous subliminal attacks of depression can develop a severe attack shortly after the marriage of an only son or daughter. Here the event is experienced by the patient not as something pleasant but as a loss. The child whom the mother needed so much, and who was her only purpose and satisfaction in life, is now abandoning her.

In other cases an attack occurs after a promotion, which is interpreted by the patient as a new imposition that he is unable to cope with. The patient is tired of new duties and, furthermore, the new position with its added responsibility removes the security the patient had established with painstaking effort. In other cases the individual who is faced with promotion dreads the expected envy and rage of previous associates to whom he is closely bound. The expectation of such emotions in others separates him from them and thus leads to feelings of loneliness and depression. In all these cases there is difficulty in abandoning the old patterns of living which conferred

security to the patient, and inability to find alternatives suitable to the new conditions.

If we now try to abstract from all the human conditions that we have described in this chapter what leads to a severe depression, we can say that it is the experience of a loss of what seems to the patient the most valuable or meaningful aspect of his life. Even more crucial is the feeling of being unable to retrieve or substitute what has been lost.

At times the severe sorrow of the depressed person acts also as a representation of what was lost, because as long as the sorrow remains, the loss is not complete. In these cases the sorrow is like the faint image of a lost hope, the shadow of the absent, the echo of a voice heard repeatedly—perhaps with ambiguous resonance, but also with some affection, respect, and love.

At other times, implicit in the experience of loss, is the feeling that life has become unworthy or meaningless. At still other times the patient realizes that the meaning he has given to his life is inappropriate or unworthy, but if he renounces that meaning his life sustains the greatest possible loss: it becomes meaningless. His pain bespeaks his refusal to see life in that way.

Notes

[1] Some statistical works, however, seem to indicate that the first-born child is more liable to manic-depressive psychosis. Of course the first-born child also is more liable to be displaced. Berman (1933) in a study of 100 manic-depressives found that 48 were first-born, 15 second, 10 each third and fourth, and 17 fifth or later. Pollock and co-workers (1939) found that 39.7 percent were first-born and 29.7 percent were second-born. Malzberg (1937) and Katz (1934) could not find any relationship between birth order and manic-depressive psychosis.

[2] As is customary in English, I refer to the general patient as *he* and consider him in his male role. However, as I shall mention later in this chapter, women with this type of personality are more numerous than men. In some special situations which are described later, in which women outnumber men by far—at least in the ratio of two to one—I shall refer to the patient by using the feminine gender.

REFERENCES

- Abraham, K. 1960 (orig. 1911). Notes on the psychoanalytic treatment of manic-depressive insanity and allied conditions. In *Selected papers on psychoanalysis*. New York: Basic Books. Pp. 137-156.
- _____. 1960 (orig. 1916). The first pregenital stage of the libido. In *Selected papers on psychoanalysis*. New York: Basic Books. Pp. 248-279.
- _____. 1960 (orig. 1924). A short study of the development of libido, viewed in the light of mental disorders. In *Selected papers on psychoanalysis*. New York: Basic Books. Pp. 418-501.
- Adler, K. A. 1961. Depression in the light of individual psychology. *Journal of Individual Psychology* 17:56-67.
- Akiskal, H. S., and McKinney, W. T. 1975. Overview of recent research in depression. Integration of ten conceptual models into a comprehensive clinical frame. *Archives of General Psychiatry* 32:285-305.
- Annell, A. L. 1969. Lithium in the treatment of children and adolescents. *Acta Psychiatrica Scandinavia* Suppl. 207:19-30.
- Annell, A. L., ed. 1971. *Depressive states in childhood and adolescence*. New York: Halsted Press.
- Ansbacher, II. L., and Ansbacher, R. R. 1956. *The Individual psychology of Alfred Adler*. New York: Harper.
- Anthony, E. J. 1967. Psychoneurotic disorders. In A. M. Friedman and H. I. Kaplan, eds. *Comprehensive textbook of psychiatry*. Baltimore: Williams & Wellsing.
- _____. 1975a. Childhood depression. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.
- _____. 1975b. Two contrasting types of adolescent depression and their treatment. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.

- Anthony, E. J., and Scott, P. 1960. Manic-depressive psychosis in childhood. *Child Psychology and Psychiatry* 1:53-72.
- Arieti, S. 1950. New views on the psychology and psychopathology of wit and of the comic. *Psychiatry* 13:43-62.
- _____. 1959. Manic-depressive psychosis. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. I. New York: Basic Books. Pp. 419-454.
- _____. 1960. The experiences of inner states. In B. Kaplan and S. Wapner, eds. *Perspectives in psychological theory*. New York: International Universities Press. Pp. 20-46.
- _____. 1962. The psychotherapeutic approach to depression. *American Journal of Psychotherapy* 16:397-406.
- _____. 1967. *The intrapsychic self*. New York: Basic Books.
- _____. 1970a. Cognition and feeling. In A. Magda, *Feelings and emotions*. New York: Academic Press.
- _____. 1970b. The structural and psychodynamic role of cognition in the human psyche. In S. Arieti, ed. *The world biennial of psychiatry and psychotherapy*, Vol. I. New York: Basic Books, Pp. 3-33.
- _____. 1972. *The will to be human*. New York: Quadrangle. (Available also in paperback edition. New York: Delta Book, Dell Publishing Co., 1975.)
- _____. 1974a. *Interpretation of schizophrenia*, Second ed. New York: Basic Books.
- _____. 1974b. The cognitive-volitional school. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. I. New York: Basic Books. Pp. 877-903.
- _____. 1974c. Manic-depressive psychosis and psychotic depression. In S. Arieti, ed. *American handbook of psychiatry*, Vol. III. New York: Basic Books.
- _____. 1976. *Creativity: the magic synthesis*. New York: Basic Books.

- _____. 1977. Psychotherapy of severe depression. *American Journal of Psychiatry* 134:864-868.
- Aronoff, M., Evans, R., and Durell, J. 1971. Effect of lithium salts on electrolyte metabolism. *Journal of Psychiatric Research* 8:139-159.
- Baastrop, P. C., and Schou, M. 1967. Lithium as a prophylactic agent against recurrent depressions and manic-depressive psychosis. *Archives of General Psychiatry* 16:162-172.
- Baldessarini, R. J. 1975. The basis for the amine hypothesis in affective disorders. *Archives of General Psychiatry* 32:1087.
- Beck, A. 1967. *Depression: clinical, experimental, and theoretical aspects*. New York: Paul B. Hoeber.
- _____. 1970. The core problem in depression: the cognitive triad. In J. Masek, ed. *Science and Psychoanalysis* 17. New York: Grune & Stratton.
- _____. 1976. *Cognitive therapy and the emotional disorders*. New York: International Universities Press.
- Becker, E. 1964. *The revolution in psychiatry*. New York: Free Press.
- _____. 1969. Kafka and the Oedipal complex. In *Angel in armor*. New York: Braziller.
- Beckett, S. 1959. *Waiting for godot*. London: Faber & Faber.
- Beliak, L. 1952. *Manic-depressive psychosis and allied conditions*. New York: Grune & Stratton.
- Bemporad, J. R. 1970. New views on the psychodynamics of the depressive character. In S. Arieti, ed. *The world biennial of psychiatry and psychotherapy*, vol. I. New York: Basic Books.
- _____. 1973. The role of the other in some forms of psychopathology. *Journal of the American Academy of Psychoanalysis* 1:367-379.

- _____. 1976. Psychotherapy of the depressive character. *Journal of the American Academy of Psychoanalysis* 4:347-372.
- Bender, L., and Schilder, P. 1937. Suicidal preoccupations and attempts in children. *American Journal of Orthopsychiatry* 7:225-243.
- Beres, D. 1966. Superego and depression. In R. M. Lowenstein, L. M. Newman, M. Scherr, and A. J. Solnit, eds. *Psychoanalysis—a general psychology*. New York: International Universities Press.
- Berg, J., Hullin, R., and Allsopp, M. 1974. Bipolar manic-depressive psychosis in early adolescence. *British Journal of Psychiatry* 125:416-418.
- Berman, H. H. 1933. Order of birth in manic-depressive reactions. *Psychiatric Quarterly* 12:43.
- Berner, P., Katschnig, H., and Poldinger, W. 1973. What does the term “masked depression” mean? In Kielholz, P., ed. *Masked depression*. Bern:Huber.
- Bertalanffy, L. von. 1956. General system theory. In Bertalanffy, L. von, and Rapaport, A., eds. *General system yearbook of the society for the advancement of general system theory*. Ann Arbor: University of Michigan Press.
- Bibring, E. 1953. The mechanism of depression. In P. Greenacre, ed. *Affective disorders*. New York: International Universities Press.
- Bieber, I., and Bieber, T. B. (In press.) Postpartum reactions in men and women. *Journal of the American Academy of Psychoanalysis* 6 (1978).
- Bierman, J. S., Silverstein, A. B., and Finesinger, J. E. 1958. A depression in a six-year-old boy with poliomyelitis. *Psychoanalytic Study of the Child* 13:430-450.
- Bigelow, N. 1959. The involuntional psychosis. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. I. New York: Basic Books. Pp. 540-545.
- Binswanger, L. 1933. *Über ideenflucht*. Orrele-Fusseler.

- _____. 1963. Heidegger's analytic of existence and its meaning for psychiatry. In *Being-in-the-world*. New York: Basic Books.
- Bonhoeffer, K. 1910. *Die symptomatischen psychosen im gefolge von akuten infektionem und inneren erkrankungen*. Leipzig: Deutieke.
- Bonime, W. 1960. Depression as a practice. *Comparative Psychiatry* 1:194-198.
- _____. 1962. *The clinical use of dreams*. New York: Basic Books.
- _____. 1962. Dynamics and psychotherapy of depression. In J. Masserman, ed. *Current psychiatric therapies*. New York: Grune & Stratton.
- _____. 1976. The psychodynamics of neurotic depression. *Journal of the American Academy of Psychoanalysis* 4:301-326.
- Bonime, W., and Bonime, E. (In press.) Depressive personality and affect reflected in dreams: a basis for psychotherapy. In J. M. Natterson, ed. *The dream in clinical practice*. New York: Aronson.
- Bowlby, J. 1958. The nature of the child's tie to his mother. *International Journal of Psycho-Analysis* 39:350-373.
- _____. 1960a. Grief and mourning in infancy and early childhood. *The Psychoanalytic Study of the child* 15:9-52. New York: International Universities Press.
- _____. 1960b. Separation anxiety. *International Journal of Psycho-Analysis* 41: 89-113.
- Boyd, D. A. 1942. Mental disorders associated with child-bearing. *American Journal of Obstetrics and Gynecology* 43:148-163; 335-349.
- Braceland, F. J. 1957. Kraepelin, his system and his influence. *American Journal of Psychiatry* 114:871.
- _____. 1966. Depressions and their treatment. In J. J. Lopez Ibor, ed. *Proceedings IV, Part 1*. Madrid: World Conference on Psychiatry. p. 467.

- Brand, H. 1976. Kafka's creative crisis. *Journal of the American Academy of Psychoanalysis* 4:249-260.
- Brenner, B. 1975. Enjoyment as a preventative of depressive affect. *Journal of Comparative Psychology* 3:346-357.
- Brill, H. 1975. Postencephalitic states or conditions. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. IV. Pp. 152-165.
- Brod, M. 1973. *Franz Kafka: a biography*. New York: Schocken Books. (Paperback.)
- Brown, F. 1968. Bereavement and lack of a parent in childhood. In E. Miller, ed. *Foundations of child psychiatry*. London: Pergamon.
- Buber, M. 1937. *I and thou*. Edinburgh: Clark.
- Bunney, W. E., Carpenter, W. T., and Engelmann, K. 1972. Brain serotonin and depressive illness. In T. A. Williams, M. M. Katz, and J. A. Shield, Jr., eds. *Recent advances in the psychobiology of the depressive illnesses*. Department of Health, Education, and Welfare: Publication No. (HSM) 70—9053.
- Burton, R. 1927. *The anatomy of melancholy*. New York: Tudor.
- Cade, J. F. 1949. Lithium salts in the treatment of psychotic excitement. *Medical Journal of Australia* 2:349-352.
- Cadore, R. J., and Tanna, V. L. 1977. Genetics of affective disorders. In G. Usdin, ed. *Depression*. New York: Brunner/Mazel. Pp. 104-121.
- Cameron, N. 1944. The functional psychoses. In J. Mev. Hunt, ed. *Personality and behavior disorders*, Vol. 2. New York: Ronald Press.
- Camus, A. 1942. *Le myth de sisyphé*. Paris: Gallimard. (Quoted in Esslin, 1969).
- Carver, A. 1921. Notes on the analysis of a case of melancholia. *Journal of Neurology and Psychopathology* 1:320-324.

- Cerletti, V., and Bini, L. 1938. L'elettroshock. *Archivi generali di neurologia, psichiatria e psicoanalisi* 19:266.
- Charatan, F. B. 1975. Depression in old age. *New York State Journal of Medicine* 75:2505-2509.
- Chertok, L. 1969. *Motherhood and personality, psychosomatic aspects of childbirth*. London: Tavistock.
- Chodoff, P. 1970. The core problem in depression. In J. Masserman, ed. *Science and Psychoanalysis*, Vol. 17. New York: Grune & Stratton.
- _____. 1972. The depressive personality. *Archives of General Psychiatry* 27:666-677.
- Choron, J. 1972. *Suicide*. New York: Scribner's.
- Cohen, M. B., Blake, G., Cohen, R. A., Fromm-Reichmann, F., and Weigert, E. V. 1954. An intensive study of twelve cases of manic-depressive psychosis. *Psychiatry* 17:103-38.
- Committee on Nomenclature and Statistics of the American Psychiatric Association. 1968. *DSM—II: diagnostic and statistical manual of mental disorders*, Second ed. Washington: American Psychiatric Association.
- Cooperman, S. 1966. Kafka's "A Country Doctor"—microcosm of symbolism. In Manheim, L. and Manheim, E., eds. *Hidden Patterns*. New York: Macmillan.
- Coppen, A., Shaw, D. M., and Farrell, J. P. 1963. Potentiation of the antidepressing effect of a monoamine oxidase inhibition by tryptophan. *Lancet* 11:79-81.
- Covi, L., Lipman, R. S., Derogatis, L. R., et al. 1974. Drugs and group psychotherapy in neurotic depression. *American Journal of Psychiatry* 131:191-198.
- Coyne, J. C. 1976. Toward an interactional description of depression. *Psychiatry* 39: 28-40.
- Cytryn, L., and McKnew, D. H., Jr. 1972. Proposed classification of childhood depression. *American Journal of Psychiatry* 129:149.

- Davidson, G. M. 1936. Concerning schizophrenia and manic-depressive psychosis associated with pregnancy and childbirth. *American Journal of Psychiatry* 92:1331.
- Da Vinci, M. N. 1976. Women on women: the looking-glass novel. *Denver Quarterly* 11:1-13.
- Dennis, W., and Najarian, P. 1957. Infant development under environmental handicap. *Psychology Monographs* 71:1-13.
- Despert, L. 1952. Suicide and depression in children. *Nervous Child* 9:378-389.
- Dublin, L. I. 1963. *Suicide: a sociological and statistical study*. New York: Ronald Press.
- Durand-Fardel, M. 1855. Etude sur le suicide chez les enfants. *Annals of Medicine* 1:61—79.
- Durell, J., and Schildkraut, J. J. 1966. Biochemical studies of the schizophrenic and affective disorders. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. III. New York: Basic Books.
- Easson, W. II. 1977. Depression in adolescence. In S. C. Feinstein and P. Giovacchini, eds. *Adolescent psychiatry*, Vol. 5. New York: Aronson.
- Eaton, J. W., and Weil, R. J. 19550. *Culture and mental disorders*. Glencoe: Free Press.
- _____. 1955b. The Mental health of the Hutterites. In A. M. Rose, ed. *Mental health and mental disorders*. New York: Norton.
- Engel, G., and Reichsman, F. 1956. Spontaneous and experimentally induced depressions in an infant with gastric fistula. *Journal of the American Psychoanalytic Association* 4:428-456.
- English, II. B., and English, A. C. 1958. *A comprehensive dictionary of psychological and psychoanalytic terms*. New York, London, Toronto: Longmans, Green and Co.
- English, O. S. 1949. Observations of trends in manic-depressive psychosis. *Psychiatry* 12:125.
- Erikson, E. H. 1959. *Identity and the life cycle*. *Psychological Issues*, Vol. 1. New York: International

Universities Press.

_____. 1963. *Childhood and society*. New York: Norton.

Esslin, M. 1969. *The theatre of the absurd*, rev. ed. Garden City: Anchor Books, Doubleday.

Faris, R. E. L., and Dunham, H. W. 1939. *Mental disorders in urban areas*. Chicago: Univ. of Chicago Press.

Feinstein, S. G., and Wolpert, E. A. 1973. Juvenile manic-depressive illness. *Journal of the American Academy of Child Psychiatry* 12:123-136.

Fenichel, O. 1945. *The psychoanalytic theory of neurosis*. New York: Norton.

Fieve, R. R., Platman, S., and Plutehik, R. 1968. The use of lithium in affective disorders. *American Journal of Psychiatry* 125:487-491.

Forrest, T. 1969. The combined use of marital and individual therapy in depression. *Contemporary Psychoanalysis* 6:76-83.

Frazier, S. H. 1976. Changing patterns in the management of depression. *Diseases of the Nervous System* 37:25-29.

Freud, A. 1953. Some remarks on infant observation. *The Psychoanalytic Study of the Child* 8:9-19.

_____. 1960. Discussion of Dr. J. Bowlby's paper. *The Psychoanalytic Study of the Child* 15:53-62.

_____. 1970. The symptomatology of childhood. *The Psychoanalytic Study of the Child* 25:19-41.

Freud, S. 1957 (orig. 1900). The interpretation of dreams. *Standard Edition* 4, 5. London: Hogarth Press.

_____. 1957 (orig. 1917). Mourning and melancholia. *Standard Edition* 14:243-58. London: Hogarth Press.

_____. 1957- (orig. 1921). Group psychology and the analysis of the ego. *Standard Edition* 18.

London: Hogarth Press.

_____. 1957 (orig. 1923). The ego and the id. *Standard Edition* 19. London: Hogarth Press.

_____. 1957 (orig. 1927). Fetishism. *Standard Edition* 21. London: Hogarth Press.

_____. 1969. (orig. 1933). *New introductory lectures on psycho-analysis. Standard Edition* 22. London: Hogarth Press.

_____. 1957 (orig. 1938). Splitting of the ego in the defensive process. *Standard Edition* 23. London: Hogarth Press.

Fromm E. 1941. *Escape from freedom*. New York: Rinehart.

_____. 1947. *Man for himself*. New York: Rinehart.

Frommer, E. A. 1968. Depressive illness in childhood. In A. Coppen and A. Walk, eds. Recent developments in affective disorders. *British Journal of Psychiatry*, special publication no. 2. Pp. 117-136.

Fromm-Reiehmman, F. 1949. Discussion of a paper by O. S. English. *Psychiatry* 12: 133.

Gardner, J. 1977. Death by art. some men kill you with a six-gun, some men with a pen. *Critical Inquiry* 3(5).

Geisler, L. S. 1973. Masked depression in patients suspected of suffering from internal diseases. In Kielholz, 1973.

Gero, G. 1936. The construction of depression. *International Journal of Psycho- Analysis* 17:423-461.

Gibbons, J. L. 1967. Cortisol secretion rate in depressive illness. *Archives of General Psychiatry* 10:572.

Gibson, R. W. 1958. The family background and early life experience of the manic- depressive patient: a comparison with the schizophrenic patient. *Psychiatry* 21: 71-90.

- Goethe, W. 1827. *Nacldeze zu Aristotcles Poetik*.
- Gold, H. R. 1951. Observations on cultural psychiatry during a world tour of mental hospitals. *American Journal of Psychiatry* 108:462.
- Goodwin, F. K., and Bunney, W. E. 1973. A psychobiological approach to affective illness. *Psychiatric Annals* 3:19.
- Gove, W. R. 1972. The relationship between sex roles, marital status, and mental illness. *Social Focus* 51:36-66.
- _____. 1973. Sex, marital status, and mortality. *American Journal of Sociology* 79: 45-67.
- Green, A. W. 1946. The middle-class male child and neurosis. *American Sociological Review* 11:31-41.
- Greenspan, K., Aronoff, M., and Bogdansky, D. 1970. Effect of lithium carbonate on turnover and metabolism of norepinephrine. *Pharmacology* 3:129-136.
- Group for the Advancement of Psychiatry. 1975. *Pharmacotherapy and psychotherapy: paradoxes, problems and progress*, Vol. IX. New York.
- Cutheil, E. A. 1959. Reactive depressions. In Arieti, S., ed. *American handbook of psychiatry*, First ed. Vol. I. New York: Basic Books. Pp. 345-352.
- Guyton, A. C. 1972. *Structure and function of the nervous system*. Philadelphia: W. B. Saunders.
- Hall, C. S., and Lind, R. E. 1970. *Dreams, life, and literature: a study of Franz Kafka*. Chapel Hill: University of North Carolina Press.
- Hauri, P. 1976. Dreams in patients remitted from reactive depression. *Journal of Abnormal Psychology* 85:1-10.
- Helgason, T. 1964. Epidemiology of mental disorders in Iceland. *Acta Psychiatrica Scandanavia* 40.

- Hempel, J. 1937. Die "vegetativ-dystone depression." *Nervenarzt* 10:22.
- Hendin, M. 1975. Growing up dead: student suicide. *American Journal of Psychotherapy* 29:327-338.
- Herzog, A., and Detre, T. 1976. Psychotic reactions associated with childbirth. *Diseases of the Nervous System* 37:229-235.
- Hinsie, L. E., and Campbell, R. J. 1960. *Psychiatric dictionary*. New York: Oxford University Press.
- Horney, K. 1945. *Our inner conflicts*. New York: Norton.
- _____. 1950. *Neurosis and human growth*. New York: Norton.
- Jacobson, E. 1946. The effect of disappointment on ego and superego formation in normal and depressive development. *Psychoanalytic Review* 33:129-147.
- _____. 1954. The self and the object world. *Psychoanalytic Study of the Child* 9:75.
- _____. 1961. Adolescent moods and the remodeling of psychic structures in adolescence. *Psychoanalytic Study of the Child* 16:164-183.
- _____. 1971. *Depression*. New York: International Universities Press.
- _____. 1975- The psychoanalytic treatment of depressive patients. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.
- Janouch, G. 1953. *Conversations with Kafka*. London: Derek Verschoyle.
- Jaspers, K. 1964. *General psychopathology*. Chicago: University of Chicago Press.
- Jelliffe, S. E. 1931. Some historical phases of the manic-depressive synthesis. In *Manic-depressive psychosis*, Applied research in nervous and mental disease, Vol. XI. Baltimore: Williams & Wilkins.
- Joffe, W. G., and Sandler, J. 1965. Notes on pain, depression, and individualism. *Psychoanalytic*

Study of the Child 20:394-424.

Jones, E. 1955. *Sigmund Freud: life and work*, Vol II. New York: Basic Books.

Kafka, F. 1949. *Diaries*. Vol. 1: 1910-1913. Vol. 2: 1914-1923. New York: Schocken.

_____. 1971. *The complete stories*. New York: Schocken.

_____. 1973. (orig. 1919) *Letter to his father*. New York: Schocken.

Kasanin, J., and Kaufman, M. R. 1929. A study of the functional psychoses in childhood. *American Journal of Psychiatry* 9:307-384.

Katz, S. E. 1934. The family constellation as a predisposing factor in psychosis. *Psychiatric Quarterly* 8:121.

Kennedy, F. 1944. Neuroses related to manic-depressive constitutions. *Medical Clinics of North America* 28:452.

Kielholz, P., ed. 1972. *Depressive illness*. Bern: Huber.

_____. ed. 1973. *Masked depression*. Bern: Huber.

Kierkegaard, S. 1954. (orig. 1843 and 1849). *Fear and trembling* and *The sickness unto death*. New York: Doubleday (Anchor).

Klaus, M. II., and Kennell, J. H. 1976. *Maternal-infant bonding*. St. Louis: Mosby.

Klein, D. F. 1974. Endogenomorphic depression. *Archives of General Psychiatry* 31: 447-454.

Klein, M. 1948 (orig. 1940). Mourning and its relation to manic-depressive states. In M. Klein, ed. *Contributions to psychoanalysis, 1.921-1945*. London: Hogarth Press.

Klerman, G. L., Dimaseio, A., Weissman, M. et al. 1974. Treatment of depression by drugs and psychotherapy. *American Journal of Psychiatry* 131:186-191.

- Koerner, O. 1929. *Die aerztliche Kenntnisse in Ilias und Odysse*. (Quoted in Jelliffe, 1931)
- Kohlberg, L. 1969. Stage and sequence: the cognitive-developmental approach to socialization. In D. A. Goslin, ed. *Handbook of socialization theory and research*. Chicago: Rand McNally.
- Kolb, L. C. 1956. Psychotherapeutic evolution and its implications. *Psychiatric Quarterly* 30:1-19.
- _____. 1959. Personal communication
- Kovacs, M. 1976. Presentation in working conference to critically examine DMS-111 in midstream. St. Louis: June 10-12.
- Kraepelin, E. 1921. *Manic-depressive insanity and paranoia*. Edinburgh: Livingstone.
- Kuhn, T. S. 1962. *The structure of scientific revolutions*, 2d ed. Chicago: University of Chicago Press.
- Kurland, H. D. 1964. Steroid excretion in depressive disorders. *Archives of General Psychiatry* 10:554.
- Kurland, M. L. 1976. Neurotic depression: an empirical guide to two specific drug treatments. *Diseases of the Nervous System* 37:424-431.
- Landis, C., and Page, J. D. 1938. *Society and mental disease*. New York: Rinehart.
- Laplaneche, J., and Pontalis, J. B. 1973. *The language of psychoanalysis*. New York: Norton.
- Leeper, R. W. 1948. A motivational theory of emotion to replace "emotion as disorganized response." *Psychiatric Review* 55:5-21.
- Lemke, R. 1949. Uber die vegetativ Depression. *Psychiat. Neurol, Und Psychol.* 1:161.
- Lesse, S., ed. 1974a. *Masked depression*. New York: Aronson.
- _____. 1974b. Psychotherapy in combination with antidepressant drugs in patients with severe

- masked depression. *American Journal of Psychotherapy* 31:185-203.
- Levine, S. 1965. Some suggestions for treating the depressed patient. *Psychoanalytic Quarterly* 34:37-45.
- Levy, D. 1937. Primary affect hunger. *American Journal of Psychiatry* 94:643-652.
- Lewinsohn, P. M. 1969. Depression: a clinical research approach. (Unpublished manuscript, cited in Coyne, 1976.)
- Lewis, A. 1934. Melancholia: a historical review. *Journal of Mental Science* 80:1.
- Lindemann, E. 1944. The symptomatology and management of acute grief. *American Journal of Psychiatry* 101:141.
- Loevinger, J. 1976. *Ego development*. San Francisco: Jossey-Bass.
- Lopes Ibor, J. J. 1966. *Las neurosis como enfermedades del animo*. Madrid: Gedos.
- _____. Masked depression and depressive equivalents. (Cited in Kielholz, P. *Masked Depression* Bern: Huber 1972.)
- Lorand, S. 1937. Dynamics and therapy of depressive states. *Psychoanalytic Review* 24:337-349-
- Lorenz, M. 1953. Language behavior in manic patients. A qualitative study. *Archives of Neurology and Psychiatry* 69:14.
- Lorenz, M., and Cobb, S. 1952. Language behavior in manic patients. *Archives of Neurology and Psychiatry* 67:763.
- Luria, A. R. 1966. *Higher cortical functions in man*. New York: Basic Books.
- _____. 1973. *The working brain. An introduction to neuropsychology*. New York: Basic Books.
- McCabe, M. S. 1975. Demographic differences in functional psychosis. *British Journal of Psychiatry* 127:320-323.

- McConville, B. J., Boag, L. C., and Purohit, A. P. 1973. Three types of childhood depression. *Canadian Psychiatric Association Journal* 18:133-138.
- MacLean, P. D. 1959. The limbic system with respect to two basic life principles. In M. A. B. Brazier, ed. *The central nervous system and behavior*. New York: Macy.
- Magny, C. E. 1946. The objective depiction of absurdity. In A. Flores, ed. *The Kafka problem*. New York: New Directions.
- Mahler, M. 1961. Sadness and grief in childhood. *Psychoanalytical study of the child* 16:332-351.
- _____. 1966. Notes on the development of basic moods: the depressive affect. In R. M. Lowenstein, L. M. Newman, M. Schur, and A. J. Solnit, eds. *Psychoanalysis— a general psychology*. New York: International Universities Press. Pp. 152-160.
- _____. 1968. *On human symbiosis and the vicissitudes of individuation*. New York: International Universities Press.
- Malmquist, C. 1971. Depression in childhood and adolescence. *New England Journal of Medicine* 284:887-893; 955-961.
- Malzberg, B. 1937. Is birth order related to incidence of mental disease? *American Journal of Physical Anthropology* 24:91.
- _____. 1940. *Social and biological aspects of mental disease*. Utica, New York: State Hospital Press.
- Mandell, A. J., and Segal, D. S. 1975. Neurochemical aspects of adaptive regulation in depression: failure and treatment. In E. J. Anthony and T. Benedek, eds. *Depression and human existence*. Boston: Little, Brown.
- Maranon, C. 1954. Climacteric: the critical age in the male. In A. M. Krich, ed. *Men: the variety and meaning of their sexual experiences*. New York: Dell.
- Mattson, A., Sesse, L. R., and Hawkins, J. W. 1969. Suicidal behavior as a child psychiatric emergency. *Archives of General Psychiatry* 20:100-109.

- Mendels, J. 1974. Biological aspects of affective illness. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. III. New York: Basic Books. Pp. 491-523.
- Mendels, J., Stern, S., and Frazer, A. 1976. Biological concepts of depression. In D. M. Gallant and G. M. Simpson, eds. *Depression*. New York: Spectrum Publications. 15P. 19-76.
- Mendelson, M. 1974. *Psychoanalytic concepts of depression*. New York: Spectrum Publications.
- Messina, F., Agallianos, D., and Clower, C. 1970. Dopamine excretion in affective states and following LijCo3 therapy. *Nature* 225:868-869.
- Meyer, A. 1908a. The role of the mental factors in psychiatry. *American Journal of Insanity* 65:39.
- _____. 1908b. The problems of mental reaction—types, mental causes and diseases. *Psychological Bulletin* 5:265.
- Miller, J. B. 1976. *Toward a new psychology of women*. Boston: Beacon Press.
- Miller, W. R., and Seligman, M. E. P. 1976. Learned helplessness, depression, and the perception of reinforcement. *Behavioral Research and Therapy* 14:7-17.
- Minkowski, E. 1958. Findings in a case of schizophrenic depression. In R. May, ed. *Existence*. New York: Basic Books.
- Mitscherlich, A., and Mitscherlich, M. 1975. *The inability to mourn*. Translated by B. R. Placzek. New York: Grove Press.
- Moulton, R. 1973. Sexual conflicts of contemporary women. In E. G. Wittenberg, ed. *Interpersonal explorations in psychoanalysis*. New York: Basic Books.
- Munn, N. L. 1946. *Psychology: the fundamentals of human adjustment*. New York: Houghton-Mifflin.
- Murphy, H. B. M., Wittkower, E. D., and Chance, N. A. 1967. Cross-cultural inquiry into the symptomatology of depression: a preliminary report. *International Journal of Psychiatry* 3:6-15.

- Nagy, M. II. 1959. The child's view of death. In H. Feifel, ed. *The meaning of death*. New York: McGraw-Hill.
- Neal, J. B., ed. 1942. *Encephalitis: a clinical study*. New York: Grune & Stratton.
- Neider, C. 1948. *The frozen sea: a study of Franz Kafka*. New York: Oxford University Press.
- Odegard, O. 1963. The psychiatric disease entitles in the light of genetic investigation. *Acta Psychiatrica Scandanavia* (Suppl.) 169:94-104.
- Olds, J., and Milner, P. 1954. Positive reinforcement produced by electrical stimulation of septal area and other regions of rat brain. *Journal of Comparative Physiology and Psychology* 47:419-427.
- Oswald, I., Brezinova, J., and Dunleavy, D. L. F. 1972. On the slowness of action of tricyclic antidepressant drugs. *British Journal of Psychiatry* 120:673.
- Palmer, II. D., and Sherman, S. H. 1938. The involuntional melancholic process. *Archives of Neurology and Psychiatry* 40:762-788.
- Papez, J. W. 1937. A proposed mechanism of emotion. *Archives of Neurology and Psychiatry* 38:725-743.
- Parkes, C. M. 1964. The effects of bereavement on physical and mental health: a study of the case records of widows. *British Medical Journal* 2:276.
- _____. 1965. Bereavement and mental illness. *British Journal of Medical Psychology* 38:1-25.
- _____. 1972. *Bereavement: studies of grief in adult life*. New York: International Universities Press.
- _____. 1973. Separation anxiety: an aspect of the search for the lost object. In R. J. Weiss, ed. *Loneliness. The experience of emotional and social isolation*. Cambridge: MIT Press.
- Parker, S. 1962. Eskimo psychopathology in the context of eskimo personality and culture. *American Anthropologist* 64:76-96.

- Perris, C. 1966. A study of bipolar (manic-depressive) and unipolar recurrent depressive psychosis. *Acta Psychiatrica Scandinavia* (Suppl.) 194:42.
- _____. 1976. Frequency and hereditary aspects of depression. In D. M. Gallant and G. M. Simpson, eds. *Depression*. New York: Spectrum Publications.
- Piaget, J. 1932. *The moral judgment of the child*. New York: Free Press.
- _____. 1951. *Play, dreams, and imitation in childhood*. New York: Norton.
- _____. 1952. *The origins of intelligence in children*. New York: International Universities Press.
- Politzer, H. 1966. *Franz Kafka: parable and paradox*, Second ed. Ithaca: Cornell University Press.
- Pollock, H. M., Malzberg, B., and Fuller, R. G. 1939. *Hereditary and environmental factors in the causation of manic-depressive psychosis and dementia praecox*. Utica, New York: State Hospital Press.
- Poznanski, E., and Zrull, J. P. 1970. Childhood depression: clinical characteristics of overtly depressed children. *Archives of General Psychiatry* 23:8-15.
- Poznanski, E. O., Krahenbuhl, V., and Zrull, P. 1976. Childhood depression: a longitudinal perspective. *Journal of the American Academy of Child Psychiatry* 15:491-501.
- Prange, A. J., Jr., Wilson, I. C., and Rabon, A. M. 1969. Enhancement of imipramine antidepressant activity by thyroid hormone. *American Journal of Psychiatry* 126:457.
- Prange, A. J., Jr., and Wilson, I. C. 1972. Thyrotropin Releasing Hormone (TRH) for the immediate relief of depression: a preliminary report. *Psychopharmacology* 26 (Suppl.).
- Prange, A. J. Jr. 1973. The use of drugs in depression: its theoretical and practical basis. *Psychiatric Annals* 3:56.
- Protheroe, C. 1969. Puerperal psychoses: a long-term study 1927-1961. *British Journal of Psychiatry* 115:9-30.

- Rado, S. 1956. (orig. 1927). The problem of melancholia. In Rado S. *Collected papers*, Vol. I. New York: Grune & Stratton.
- _____. 1951. Psychodynamics of depression from the etiologic point of view. *Psychosomatic Medicine* 13:51-55.
- Raskin, A. 1974. A guide for drug use in depressive disorders. *American Journal of Psychiatry* 131:181-185.
- Redmond, D. E., Mass, J. W., and King, A. 1971. Social behavior of monkeys selectively depleted of monoamines. *Science* 174:428-431.
- Rennie, T. A. L. 1942. Prognosis in manic-depressive psychosis. *American Journal of Psychiatry* 98:801.
- Rie, M. E. 1966. Depression in childhood: a survey of some pertinent contributions. *Journal of the American Academy of Child Psychiatry* 5:653-685.
- Riesman, D., Glazer, N., and Denney, R. 1950. *The lonely crowd*. New Haven: Yale University Press.
- Roehlin, G. 1959. The loss complex. *Journal of the American Psychoanalytic Association* 7:299-316.
- Rosenthal, S. II. 1968. The involuntional depressive syndrome. *American Journal of Psychiatry* (Suppl.) 124:21-35.
- _____. 1974. Involuntional depression. In S. Arieti, ed. *American handbook of psychiatry*, Second ed. Vol. III. New York: Basic Books. Pp. 694-709.
- Russell, B. 1967. *The autobiography of Bertrand Russell: the early years*. New York: Bantam.
- Sachar, E., Heilman, L., and Gallagher, T. F. 1972. Cortisol production in depression. In T. A. Williams, M. M. Katz, and J. A. Shield, Jr., eds. *Recent advances in the psychobiology of the depressive illnesses*. Department of Health, Education, and Welfare: Publication No. (HSM) 70-9053.
- Sapirstein, S. L., and Kaufman, M. R. 1966. The higher they climb, the lower they fall. *Journal of the*

Canadian Psychiatric Association 11:229-304.

Salzman, L., and Masserman, J. H. 1962. *Modern concepts of psychoanalysis*. New York: Philosophical Library.

Sandler, J., and Joffe, W. G. 1965. Notes on childhood depression. *International Journal of Psychoanalysis* 46:88-96.

Schilder, P., and Weschler, D. 1934. The attitudes of children toward death. *Journal of Genetic Psychology* 45:406-451.

Schildkraut, J. J. 1965. The catecholamine hypothesis of affective disorders: a review of supporting evidence. *American Journal of Psychiatry* 122:509-522.

_____. 1975. Depression and biogenic amines. In D. Hamburg and H. K. H. Brodie, eds. *American handbook of psychiatry*, Vol. 6. New York: Basic Books.

Schlegel, F. 1818. *Lectures on the history of literature, ancient and modern*. Edinburgh.

Schoenberg, B., Gerber, I., Wiener, A., Kutscher, A. H., Peretz, D., and Carrac, eds. 1975. *Bereavement: its psychological aspects*. New York: Columbia University Press.

Schopenhauer, A. 1961. *The world as will and idea*. Translated by R. B. Haldane and J. Keint. New York: AMS Press.

Segal, Hannah. 1964. *Introduction to the work of Melanie Klein*. London: Heinemann.

Seiden, R. H. 1969. *Suicide among youth*. *Bulletin of Suicidology*. (Suppl.).

Seligman, M. E. P. 1975. *Helplessness*. San Francisco: W. H. Freeman.

Seligman, M., and Maier, S. 1967. Failure to escape traumatic shock. *Journal of Experimental Psychology* 74:1-9.

Shaffer, D. 1974. Suicide in childhood and early adolescence. *Journal of Child Psychology and Psychiatry* 15:275-291.

- Shambaugh, B. 1961. A study of loss reactions in a seven-year-old. *Psychoanalytic Study of the Child* 16:510-522.
- Shimoda, M. 1961. Über den fraaruorbideu karakter des manish-depressiven irreseius. *Psychiatria et Neurologia Japonica* 45:101.
- Silverberg, W. 1952. *Childhood experience and personal destiny*. New York: Springer.
- Slipp, S. 1976. An intrapsychic-interpersonal theory of depression. *Journal of the American Academy of Psychoanalysis* 4:389-410.
- Smith, A., Troganza, E., and Harrison, G. 1969. Studies on the effectiveness of antidepressant drugs. *Psychopharmacology Bulletin* (Special issue).
- Smythies, J. 1973. Psychiatry and neurosciences. *Psychological Medicine* 3:267-269.
- Sperling, M. 1959. Equivalentents of depression in children. *Journal of Hillside Hospital* 8:138-148.
- Spiegel, R. 1959. Specific problems of communication in psychiatric conditions. In S. Arieti, ed. *American handbook of psychiatry*, First ed. Vol. I. New York: Basic Books. Pp. 909-949.
- _____. 1960. Communication in the psychoanalysis of depression. In J. Massemian, ed. *Psychoanalysis and human values*. New York: Grune & Stratton.
- _____. 1965. Communication with depressive patients. *Contemporary Psychoanalysis* 2:30-35.
- Spitz, R. 1946. Anaclitic depression. *Psychoanalytic Study of the Child* 5:113-117.
- Strecker, E. A., and Ebaugh, F. 1926. Psychoses occurring during the puerperium. *Archives of Neurology and Psychiatry* 15:239.
- Strongin, E. I., and Hinsie, L. E. 1938. Parotid gland secretions in manic-depressive patients. *American Journal of Psychiatry* 96:14-59.
- Sullivan, H. S. 1940. *Conceptions of modern psychiatry*. New York: Norton.

- _____. 1953. *The interpersonal theory of psychiatry*. New York: Norton.
- Szalita, A. B. 1966. Psychodynamics of disorders of the involuntional age. In S. Arieti, ed. *American handbook of psychiatry*, First ed., Vol. III. New York: Basic Books. Pp. 66-87.
- _____. 1974. Grief and bereavement. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. I. Pp. 673-684.
- Taulbee, E. S., and Wright, II. W. 1971. A psychosocial-behavioral model for therapeutic intervention. In C. D. Spielberger, ed. *Current topics in clinical and community psychology*, Vol. 3. New York: Academic Press.
- Tellenbach, II. 1974. *Melancholic problemgeschichte-endogenitat-typologie-putho- genese-klinik*. Berlin: Springer-Verlag.
- Thomas, A., Chess, S., and Birch, H. G. 1968. *Temperament and behavior disorders in children*. New York: New York University Press.
- Thompson, C. M. 1930. Analytic observations during the course of a manic-depressive psychosis. *Psychoanalytic Review* 17:240.
- Thompson, R. j., and Schindler, F. H. 1976. Embryonic mania. *Child Psychiatry and Human Development* 7:149-154.
- Titley, W. B. 1936. Prepsychotic personality of involuntional melancholia. *Archives of Neurology and Psychiatry* 36:19-33.
- Toolan, J. M. 1962. Depression in children and adolescents. *American Journal of Orthopsychiatry* 32:404-15.
- Tupin, J. P. 1972. Effect of lithium and sodium and body weight in manic-depressives and normals. In T. A. Williams, M. M. Katz, and J. A. Shield, Jr., eds. *Recent advances in the psychobiology of the depressive illnesses*. Department of Health, Education, and Welfare: Publication No. (HSM) 70-9053.
- Veith, Ilza. 1970. Elizabethans on melancholia. *Journal of the American Medical Association*

212:127.

- Wainwright, W. H. 1966. Fatherhood as a precipitant of mental illness. *American Journal of Psychiatry* 123:40-44.
- Warneke, L. 1975. A case of manic-depressive illness in childhood. *Canadian Psychiatric Association Journal* 20:195-200.
- Weinberg, W. A., Rutman, J., and Sullivan, L. 1973. Depression in children referred to an educational diagnostic center: diagnosis and treatment. *Journal of Pediatrics* 83:1065-1072.
- Weiner, I. B. 1970. *Psychological disturbance in adolescence*. New York: Wiley.
- Weiss, J. M. A. 1957. The gamble with death in attempted suicide. *Psychiatry* 20:17.
- _____. 1974. Suicide. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. III. Pp. 763-765.
- Weissman, M. M., and Klerman, L. 1977. Sex differences and the epidemiology of depression. *Archives of General Psychiatry* 34:98-111.
- Weissman, M. M., Klerman, G. L., Payhel, E. S., et al. 1974. Treatment effects on the social adjustment of depressed patients. *Archives of General Psychiatry* 30:771-778.
- Weissman, M. M., Prusoff, B. A., and Klerman, G. 1975. Drugs and psychotherapy in depression revisited. *Psychopharmacology Bulletin* 11:39-41.
- Werner, H. 1948. *The comparative psychology of mental development*. New York: International Universities Press.
- Whittier, J. R. 1975. Mental disorders with Huntington's chorea. Clinical aspects. In S. Arieti, ed. *American handbook of psychiatry*, Second ed., Vol. IV. New York: Basic Books. Pp. 412-417.
- Wilson, E. 1962. A dissenting opinion on Kafka. In D. Gray, ed. *Kafka*. Englewood Cliffs: Prentice-

Hall.

- Winnicott, D. W. 1953. Transitional objects and transitional phenomena. *International Journal of Psycho-Analysis* 34.
- Winokur, G. 1973. Depression in the menopause. *American Journal of Psychiatry* 130: 92-93.
- Winokur, G., Cadoret, R., Dorzab, J., and Baker, M. 1971. Depressive disease. A genetic study. *Archives of General Psychiatry* 25:135-144.
- Wolfgang, M. E. 1959. Suicide by means of victim-precipitated homicide: *Journal of Clinical and Experimental Psychology* 20:335-349.
- Wolman, B. B. 1973. *Dictionary of behavioral science*. New York: Van Nostrand.
- Woodworth, B. S. 1940. *Psychology*. New York: Holt.
- Zetzel, E. R. 1965. Depression and its incapacity to bear it. In M. Schur, ed. *Drives, affects, behavior*. Vol. 2. New York: International Universities Press.
- Zilboorg, G. 1928. Malignant psychoses related to childbirth. *American Journal of Obstetrics and Gynecology* 15:145-158.
- _____. 1929. The dynamics of schizophrenic reactions related to pregnancy and childbirth. *American Journal of Psychiatry* 8:733-767.
- _____. 1931. Depressive reactions related to parenthood. *American Journal of Psychiatry* 87:927-962.
- _____. 1941. *A history of medical psychology*. New York: Norton.
- _____. 1944. Manic-depressive psychoses. In S. Lorand, cd. *Psychoanalysis today*. New York: International Universities Press.